



Quickie IRIS  
December 2020



EIZ4-2

Mark For:

Date: \_\_\_\_\_  
 Dealer Acct #: \_\_\_\_\_  
 Dealer: \_\_\_\_\_  
 Dealer Contact: \_\_\_\_\_  
 Dealer Address: \_\_\_\_\_  
 Dealer City: \_\_\_\_\_ PV: \_\_\_\_\_ PC: \_\_\_\_\_  
 Dealer Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_  
 Confirmation Email: \_\_\_\_\_  
 Confirm Via:  Fax  Email

Submitting for:

Quote  Order

PO#: \_\_\_\_\_  
**ADDITIONAL SHIPPING INFORMATION**  
 Ship To: \_\_\_\_\_  
 Attention: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Ship To City: \_\_\_\_\_ PV: \_\_\_\_\_ PC: \_\_\_\_\_  
 Ship To Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

✓	Option #	Definition	Price	✓	Option #	Definition	Price
---	----------	------------	-------	---	----------	------------	-------

1. FRAME

Base Model			
<input type="checkbox"/>	183WM56	Quickie IRIS with True Fit Growth	

Transit			
<input type="checkbox"/>	183TO45	WC-19 Transit Option	

Pre-Set Tilt Angle (55° range) (Default in Bold)			
<input type="checkbox"/>	183TA5	-5 to 50° N/A w/ Heavy Duty and 12.5" STFH	
<input type="checkbox"/>	183TA6	<b>0 to 55°</b>	
<input type="checkbox"/>	183TA7	+5 to 60° N/A w/ Heavy Duty Package	

Frame Options			
<input type="checkbox"/>	183FS23	Standard Base and Seat Frame Maximum Weight: 300 lbs..	
<input type="checkbox"/>	183HV1	Heavy Duty Package (Max: 400 lbs..) NA w/ Vent, Battery Tray and Mono Back	J
<input type="checkbox"/>	183FS24	Vent/Battery Tray Base NA w/ Attendant Wheel Lock, Mono Back and 14" and 15" frame width; min 17" STFH.	See Dealer
<input type="checkbox"/>	183FT46	Contracture Seat Frame NA w/ 14" or 15" frame depths. NA w/ drop seat pan.	J

Tilt Release Options			
<input type="checkbox"/>	183TT12	Backrest Dual trigger cable releases	

Frame Struts			
<input type="checkbox"/>	183GY01	Fixed (Standard)	
<input type="checkbox"/>	183GY02	Width Adjusting System Avail. range 14"-21". Max growth 22" N/A with Mono Back	

2. SIZE / SEATING

Frame Width			
<i>21" &amp; 22" not available with removable stroller handle extension</i>			
<input type="checkbox"/>	183W5	14"	
<input type="checkbox"/>	183W6	15"	
<input type="checkbox"/>	183W7	16"	
<input type="checkbox"/>	183W8	17"	
<input type="checkbox"/>	183W9	18"	
<input type="checkbox"/>	183W10	19"	
<input type="checkbox"/>	183W11	20"	
<input type="checkbox"/>	183W12	21"	
<input type="checkbox"/>	183W13	22"	

Seat Type			
<input type="checkbox"/>	183ST35	Standard Seat Pan For growth ranges, see Figure 1.5	
<input type="checkbox"/>	183ST36	Drop Seat Pan. N/A w/ transit, HD, contracture footrest system	See Dealer
<input type="checkbox"/>	183ST54	Omit Seat Pan	

2. SIZE / SEATING (CONT) Fill out either A or B

A. Setup By QUICKIE

B. Setup By DEPTH

A. User's Seated Height	
See <b>Figure 1.1</b> , Dimension B. Distance from seat surface to top of the head.	
<input type="checkbox"/> 183SJ01	Less than 37"
<input type="checkbox"/> 183SJ02	37" or Greater

B. Frame Depth Range	
<input type="checkbox"/> 183FL91	Short Seat Frame 14"-18"
<input type="checkbox"/> 183FL92	Medium Seat Frame 16"-20"
<input type="checkbox"/> 183FL93	Long Seat Frame 18"-22"

A. User's Weight (Default in Bold)	
301 lbs. - 400 lbs.. options only available w/ HD Package	
<input type="checkbox"/> 183BO01	<b>0 lbs. - 300 lbs.</b>
<input type="checkbox"/> 183BO03	301 lbs. - 350 lbs.
<input type="checkbox"/> 183BO12	351 lbs. - 400 lbs.

B. Frame Depth	
<input type="checkbox"/> 183FD5	14" <i>recommend short seat frame</i>
<input type="checkbox"/> 183FD6	15" <i>recommend short seat frame</i>
<input type="checkbox"/> 183FD7	16" <i>recommend short seat frame</i>
<input type="checkbox"/> 183FD8	17" <i>recommend short seat frame</i>
<input type="checkbox"/> 183FD9	18" <i>recommend medium seat frame</i>
<input type="checkbox"/> 183FD10	19" <i>recommend medium seat frame</i>
<input type="checkbox"/> 183FD11	20" <i>recommend long seat frame</i>
<input type="checkbox"/> 183FD16	21" <i>recommend long seat frame</i>
<input type="checkbox"/> 183FD17	22" <i>recommend long seat frame</i>



OR

A. Desired Seat Depth	
See <b>Figure 1.1</b> , Dimension A for measurement	
<input type="checkbox"/> 183SD7	14"
<input type="checkbox"/> 183SD8	15"
<input type="checkbox"/> 183SD9	16"
<input type="checkbox"/> 183SD10	17"
<input type="checkbox"/> 183SD11	18"
<input type="checkbox"/> 183SD12	19"
<input type="checkbox"/> 183SD13	20"
<input type="checkbox"/> 183SD14	21"
<input type="checkbox"/> 183SD33	22"

A. Top of Cushion to Seat Rail	
--------------------------------	--

See **FIGURE 1.2** Dimensions A & B. This measurement is taken from the top of the cushion to the upper surface of the seat rail. If the cushion has a wedged shape and/or has significant lateral pelvic contour, then determine the height of the cushion at the point where the ischial tuberosities would contact (not immerse) the cushion surface.

<input type="checkbox"/> 183CJ01	2 1/2" or Greater
<input type="checkbox"/> 183CJ02	Less than 2 1/2"
<input type="checkbox"/> 183CJ03	Below Seat Rail



Desired Seat Depth

Figure 1.3

Frame Width	Seat Pan Growth
14"	14" - 16"
15"	15" - 16"
16"	16" - 18"
17"	17" - 18"
18"	18" - 20"
19"	19" - 20"
20"	20" - 22"
21"	21" - 22"
22"	NA

**3. CASTERS / SEAT HEIGHTS / REAR WHEELS**

Front Seat Height			
Rear Wheel Size	CASTER SIZE		
	6"	8x1"	8x1.5"
12" Low Poly	<input type="checkbox"/> 16.0"		<input type="checkbox"/> 16.0"
	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 16.5"
	<input type="checkbox"/> 17.0"	<input type="checkbox"/> 17.0"	<input type="checkbox"/> 17.0"
22" Mag / 5 Spoke		<input type="checkbox"/> 17.5"	
	<input type="checkbox"/> 17.0"	<input type="checkbox"/> 17.0"	
	<input type="checkbox"/> 17.5"	<input type="checkbox"/> 17.5"	<input type="checkbox"/> 17.5"
	<input type="checkbox"/> 18.0"	<input type="checkbox"/> 18.0"	<input type="checkbox"/> 18.0"
24" Mag / 5Spoke & Spoke			<input type="checkbox"/> 18.5"
	<input type="checkbox"/> 18.0"		<input type="checkbox"/> 18.0"
	<input type="checkbox"/> 18.5"	<input type="checkbox"/> 18.5"	<input type="checkbox"/> 18.5"
	<input type="checkbox"/> 19.0"	<input type="checkbox"/> 19.0"	<input type="checkbox"/> 19.0"
	<input type="checkbox"/> 19.5"		

Casters			
<input type="checkbox"/> 183CW45		6" x 1" Polyurethane	
<input type="checkbox"/> 183CW35		6" x 1.5" Semi Pneumatic	
<input type="checkbox"/> 183CW46		8" x 1" Polyurethane	
<input type="checkbox"/> 183CW39		8"x 1.5" Semi Pneumatic	

Axle Plate			
<i>One arm drive only available in 6 spoke Mags</i>			
<input type="checkbox"/> 183AL33		Standard Axle Plate	
<input type="checkbox"/> 183AL17		One Arm Drive Axle Plate N/A w/ 12" & 16" mag, 24" spoke wheels.	See Dealer
<input type="checkbox"/> 183OA2		One Arm Drive Standard Handrim	See Dealer
<input type="checkbox"/> 183HM1		Right Hand Mount	
<input type="checkbox"/> 183HM2		Left Hand Mount	
<input type="checkbox"/> 183OA1		One Arm Drive Small Handrim N/A w/ 20" mag wheels	See Dealer
<input type="checkbox"/> 183HM1		Right Hand Mount	
<input type="checkbox"/> 183HM2		Left Hand Mount	

Rear Wheel			
<i>12"-16" N/A w/handrims. 12" w/attendant wheel lock N/A w/ +5 - 60° tilt angle.</i>			
<i>20"-22" Mag wheel N/A w/Projection handrims. See matrix for availability</i>			
<input type="checkbox"/> 183RW13		12" Mag Wheel	
<input type="checkbox"/> 183RW8		22" Mag Wheel	
<input type="checkbox"/> 183RW1		24" Mag Wheel	NC
<input type="checkbox"/> 183RW51		24" Spoke Wheel	

Rear Tire & Wheel Matrix			
Tire	Rear Wheel		
	5 Spoke Mag	Spoke	Mag Wheel
Pneumatic	20,22,24	24	12,16,20,22,24
Pneumatic w/ Airless Insert	20,22,24	24	12,16,20,22,24
Full Poly	20,22,24	24	20,22,24
Low Poly	NA	NA	12

12" = 203mm 16" = 305mm 20" = 451mm 22" = 501mm 24" = 540mm

Rear Wheel Tire		
<input type="checkbox"/> 183RT3		Full Polyurethane
<input type="checkbox"/> 183RT4		Low Polyurethane

Handrim			
<i>12" and 16" wheels not available with hand rims. See matrix for availability</i>			
<input type="checkbox"/> 183HR1		Aluminum Anodized	
<input type="checkbox"/> 183HR4		Plastic Coated	See Dealer
<input type="checkbox"/> 183HR7		Omit Handrim	J

Rear Wheel & Handrim Matrix			
Handrim	Rear Wheel		
	5 Spoke Mag	Spoke	Mag Wheel
Aluminum Anodized	20,22,24	24	20,22,24
Plastic Coat	20,22,24	24	20,22,24
Projection 8 Oblique	NA	NA	24

Projections			
<i>Not available on plastic coated. Only available with 24" rim MAG wheels</i>			
<input type="checkbox"/> 183HR8		8 Oblique	See Dealer

Axle		
<input type="checkbox"/> 183AX1		Quick Release Axles N/A w/ one arm drive
<input type="checkbox"/> 183AX17		Threaded Axles N/A w/ 24" spoke wheels

**4. WHEEL LOCKS / HUB LOCK**

Wheel Lock			
<input type="checkbox"/> 183WL8		Push to Lock	
<input type="checkbox"/> 183WL41		Attendant Wheel Lock (Foot Lock) N/A w/ ext handles. N/A w/ one arm drive *Only available with 12" rear wheels	
<input type="checkbox"/> 183WL10		Omit Wheel Lock	

Extension Handle		
<input type="checkbox"/> 183EH7		6" Pair

**5. HEADRESTS**

Headrest & Bracket	
<input type="checkbox"/>	M2300 Bracket
<input type="checkbox"/>	Linx P1L Headrest



**Footrest (Choose ONE Option - A, B, or C)**

<b>A. Hanger Mounted Footrest</b>			
<input type="checkbox"/>	183H140	70° Swing In/Swing Out -Front Mount	
<input type="checkbox"/>	183H142	80° Swing In/Swing Out -Front Mount	
<input type="checkbox"/>	183H158	90° Swing In/Swing Out -Front Mount	
<input type="checkbox"/>	183H161	Elevating Hanger - Front Mount <i>N/A 90° footboard, some interference with casters if not tilted, 17" wide chairs &amp; up.</i>	
<b>A. Hanger Mounted Footrest Extension Tubes</b>			
<i>N/A w/ 12.5" seat height</i>			
<input type="checkbox"/>	183E23	2" <i>N/A w/ 90 swing away, 90 lift off hangers</i>	
<input type="checkbox"/>	183E24	4" <i>N/A w/ 90 swing away, 90 lift off hangers</i>	
<b>A. Hanger Mounted Footrest Footplates</b>			
<i>Heel loop or leg strap not included. See Footplate Options Section</i>			
<input type="checkbox"/>	183F4	Kids Angle Adj <i>Available w/ 14" to 16" frame width only</i>	
<input type="checkbox"/>	183F8	Adult Angle Adj - Front Mount	
<input type="checkbox"/>	183A7	Omit Footplate	

**A**

<b>OR</b>			
<b>B. Contracture Footrest System</b>			
<i>Multi-Adjustable Padded Hangers &amp; Angle Adjustable Aluminum Footrests</i>			
<input type="checkbox"/>	183H26	Contracture Footrest System <i>N/A w/ drop seat pan. N/A w/ 15" frame depth</i>	J
<input type="checkbox"/>	183FP02	Outside Mount	J
<input type="checkbox"/>	183FP01	Center Mount	J
<i>Select Extension Height Below for Short</i>			
<input type="checkbox"/>	183E25	Short	
<input type="checkbox"/>	183EP1	10.5" Extension Height	J
<input type="checkbox"/>	183EP2	11.0" Extension Height	J
<input type="checkbox"/>	183EP3	11.5" Extension Height	J
<input type="checkbox"/>	183EP4	12.0" Extension Height	J
<input type="checkbox"/>	183EP5	12.5" Extension Height	J
<input type="checkbox"/>	183EP6	13.0" Extension Height	J
<i>Select Extension Height Below for Regular</i>			
<input type="checkbox"/>	183E26	Regular	
<input type="checkbox"/>	183EP5	12.5" Extension Height	J
<input type="checkbox"/>	183EP6	13.0" Extension Height	J
<input type="checkbox"/>	183EP7	13.5" Extension Height	J
<input type="checkbox"/>	183EP8	14.0" Extension Height	J
<input type="checkbox"/>	183EP9	14.5" Extension Height	J
<input type="checkbox"/>	183EP10	15.0" Extension Height	J

**B**




<b>Additional Hanger and Footplate Options</b>			
<b>Hanger Mounts</b>			
<i>1" Offset N/A with -5-50° and -5-35° preset tilt angle and possible interference with 80° &amp; 90° hangers</i>			
<input type="checkbox"/>	183MZ02	Standard Hanger Mount	
<input type="checkbox"/>	183MZ01	1" Offset Hanger Mount	
<b>Footrest Options</b>			
<input type="checkbox"/>	183HL1	Heel Loop	
<input type="checkbox"/>	183HL5	Leg Strap	See Dealer
<input type="checkbox"/>	183IG2	Impact Guard Neoprene <i>Only available w/ 60° or 70° ext. mount hanger</i>	See Dealer
<input type="checkbox"/>	183H32	Omit Hanger	
<input type="checkbox"/>	183HL4	Omit Heel Loop	

Option #	Definition	Price	Option #	Definition	Price
<b>6. HANGER AND FOOTREST (CONT)</b>					
<b>JAY FOOT BOXES</b>			<b>JAY FOOT BOXES (cont)</b>		
Only available with Swing Away, Lift-off Hangers, Adult Angle Adj Footplates and ELR / ALR. Single Foot Box pairs N/A with 14"-15" frame widths. Full Foot Boxes N/A with Heel Loop or Leg Strap, Tall Height Full Footbox w/ 14"-15" frame width and ELR / ALR. Full Foot Box not available with 23"-24" widths.					
<b>Single Foot Box</b>					
<input type="checkbox"/>	183JX01	Standard Height - Left		See Dealer	
<input type="checkbox"/>	183JX02	Tall Height - Left		See Dealer	
<input type="checkbox"/>	183JX03	Standard Height - Right		See Dealer	
<input type="checkbox"/>	183JX04	Tall Height - Right		See Dealer	
<input type="checkbox"/>	183JX05	Standard Height - Pair		See Dealer	
<input type="checkbox"/>	183JX06	Tall Height - Pair		See Dealer	
<b>OR</b>					
<b>Full Foot Box</b>					
<input type="checkbox"/>	183JX07	Full Foot box Std Height		See Dealer	
<input type="checkbox"/>	183JX08	Full Foot box Tall Height		See Dealer	
<input type="checkbox"/>	183JX09	Full Foot box w/ Divider Std Ht		See Dealer	
<input type="checkbox"/>	183JX10	Full Foot box w/ Divider Tall Ht		See Dealer	

<b>7. BACKREST / SEATING</b>					
<b>Dynamic Backrest</b>					
<input type="checkbox"/>	183BT101	Dynamic Backrest N/A w/ Reclining Backrest or 22" seat depth. N/A w/ Heavy D.	21"	See Dealer	
<b>Built 4 Me Options</b>					
<input type="checkbox"/>	183VU18	B4ME - 19" Depth w/Dynamic Back		See Dealer	
<input type="checkbox"/>	183VU19	B4ME - 20" Depth w/Dynamic Back		See Dealer	

<b>Backpost Style - (Choose ONE Option - A, B, C, or D)</b>					
<b>A. Stroller Handle Backpost (Fixed)</b>			<b>OR</b>		
<input type="checkbox"/>	183BP9	Low (18")	<b>C. Reclining Backrest (0-40°)</b>		
<input type="checkbox"/>	183BP10	Medium (21")			
<input type="checkbox"/>	183BP11	Tall (24")			
<input type="checkbox"/>	183BP13	Removable Extension N/A w/ 21"-22" frame width, height adj back with adj stroller handles			
<b>OR</b>					
<b>B. Height Adjustable Back w/ Adj. Stroller Handles</b>					
Select desired Push Handle					
<input type="checkbox"/>	183PH8	Standard Push Handle			
<input type="checkbox"/>	183PH9	Long Push Handle Recommended in combo w/ vent & battery tray			
<b>AND select desired Back Cane</b>					
<input type="checkbox"/>	183B200	Standard 15"-21"			
<input type="checkbox"/>	183B201	Tall 18"-24"			
<b>OR</b>			<b>D. Mono Back System</b>		
Must select JAY J3 or JAY Custom Back when ordering Mono Back System.					
<b>Select One</b>					
<input type="checkbox"/>	183MO1	Mono Backrest System		See Dealer	
<input type="checkbox"/>	183MO2	Mono Backrest System w/Dynamic Backrest		See Dealer	
<b>AND Select desired Push Handle</b>					
<input type="checkbox"/>	183PH8	Standard Push Handle		See Dealer	
<input type="checkbox"/>	183PH9	Long Push Handle		See Dealer	




<b>Backrest Position (set up by Quickie)</b>			
See FIGURE 1.5. The location of the backrest surface in relation to the front of the backpost. The measurement is taken from the front surface of the backpost to the deepest area of the backrest in contact with the user's body.			
<input type="checkbox"/>	183BQ01	+3"	
<input type="checkbox"/>	183BQ05	+2"	
<input type="checkbox"/>	183BQ02	+1"	
<input type="checkbox"/>	183BQ03	Flush	
<input type="checkbox"/>	183BQ04	-1"	
<input type="checkbox"/>	183BQ06	-2"	

<b>Back Type</b>	
1	3" forward (+3")
2	2" forward (+2")
3	1" forward (+1")
4	Flush
5	1" rearward (-1")
6	2" rearward (-2")

<b>8. ARMREST / SIDE GUARDS</b>					
<b>Armrest</b>			<b>Armpad</b>		
Heavy Duty Option only available w/ Dual Post Armrest					
<input type="checkbox"/>	183AA48	Dual Post Flip Back Height Adj	<input type="checkbox"/>	183AM23	Desk Length Classic
<input type="checkbox"/>	183AA11	Single Post Height Adjustable - Std	<input type="checkbox"/>	183AM21	Desk Length Contour
<input type="checkbox"/>	183AA29	Single Post Height Adjustable - Low	<input type="checkbox"/>	183AM24	Full Length Classic
<input type="checkbox"/>	183AA14	Omit Armrest	<input type="checkbox"/>	183AM22	Full Length Contour
<b>Side Guard</b>					
Only available w/ length adj locking flip-up, adj locking flip-up and armrest styles. N/A w/ Mono Back.					
<input type="checkbox"/>	183AR17	Low	<input type="checkbox"/>	183SG3	Plastic Regular
<input type="checkbox"/>	183AR18	Std	<input type="checkbox"/>	183SG4	Plastic Kids
<b>Armrest Receiver (Single Post Height Adjustable Only)</b>					
<input type="checkbox"/>	183AR17	Low			See Dealer
<input type="checkbox"/>	183AR18	Std			See Dealer

8. ARMREST / SIDE GUARDS (CONT)

Armrest Matrix for Single Post					
Armrest Size	Transfer Tube Length D	Receiver	Classic Pad		
			H Range	Pad length L	
Std	8"	Std	10-3/4" to 15-3/4"	10-1/4"	14"
		Low	8-3/4" to 13-3/4"		
		Std	9" to 13"		
Low	5-1/4"	Low	7-1/4" to 11-1/4"		
					Contour Pad
			H Range	Pad length L	
				Desk	Full
Std	8"	Std	10" to 15"	10-1/2"	14-1/4"
		Low	8-1/4" to 13-1/4"		
		Std	8-1/2" to 12-1/2"		
		Low	6-3/4" to 10-3/4"		
			Ergo Pad		
			H Range	Pad length L	
Std	8"	Std	10-1/2" to 15-1/2"	11-3/4"	
		Low	8-3/4" to 13-3/4"		
		Std	9" to 13"		
		Low	7-1/4" to 11-1/4"		



9. KEY OPTIONS AND ACCESSORIES

**Anti Tips**

Included with vent tray option. Not ordered as separate line item.

<input type="checkbox"/>	183AT1	Anti Tips (Pair)	
--------------------------	--------	------------------	--

**Positioning Belt**

<input type="checkbox"/>	183A141	1.5" Auto Buckle Universal w/Clamp	
--------------------------	---------	------------------------------------	--

**Spoke Guards**

Not available with 12" and 16" mag wheels or projection handrims.

<input type="checkbox"/>	183A24	Clear	See Dealer
<input type="checkbox"/>	183A23	Black N/A w/ projection handrims	See Dealer

**Wheelchair Tray Table**

Only available if armrests are included. N/A with JAY Arm Troughs.

<input type="checkbox"/>	183A30	Small (13"-14")	See Dealer
<input type="checkbox"/>	183A31	Medium (15"-17")	See Dealer
<input type="checkbox"/>	183A32	Large (18"-20")	See Dealer
<input type="checkbox"/>	183A33	X-Large (21"-22")	See Dealer

**Vent Tray - Back Cane Mount**

Utility hook has weight a limit of 15 lbs.

<input type="checkbox"/>	183LF12	Dovetail Vertical Frame Mounted Hardware for LTV Ventilators includes 1 utility hook	See Dealer
<input type="checkbox"/>	183LF13	Dovetail Vertical Frame Mounted Hardware for Trilogy Ventilators includes 1 utility hook	See Dealer

