



Quickie Xcel 2 - MWP
December 2020



▼ ACCOUNT INFORMATION

Dealer Contact Name:	_____	P.O. # or Quote:	_____
E-mail Address:	_____		
Phone Number:	_____	Fax Number:	_____
Bill to (Name):	_____	User Name or Number:	_____
Bill to (Location):	_____	User Weight:	_____
Ship to (Name):	_____	User Height:	_____
Address:	_____	Seat Cushion Thickness:	_____
City:	_____	Knee to Heel Length: Left:	_____ Right: _____
Province:	_____	Postal Code:	_____

The order cannot be processed without the following:

- A user name or number, the client's measurements and weight
- Sunrise Medical is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Sunrise Medical summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

▼ STANDARD OPTIONS

Quickie Xcel 2 Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 8" front casters, and standard auto style buckle seat positioning strap, 5.4 mph motors.

▼ QUICKIE XCEL 2 POWER WHEELCHAIR

- XCEL2 QUICKIE XCEL 2 Power Wheelchair

▼ USER WEIGHT PACKAGES

- WCA55 550 lbs. Maximum user weight capacity

▼ STANDARD FRAME COLORS

- FCBLK Black

▼ TRANSPORT OPTION

- TTD4 1 4-Point wheelchair transport brackets
 Note 1 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.
 Use these transport brackets only to secure an unoccupied wheelchair during transport.

▼ MOTOR PACKAGE

- MP544-STD 5.4 MPH 4-Pole Motor Package

▼ ASSISTIVE DRIVING PACKAGE

- INTELLIDR 2,3 Intelli-Drive See Dealer
 Note 2 Intelli-Drive technology provides increased tracking capabilities with enhanced traction and steering precision.
 This is ideal for those with marginal hand function or switch control.
 Note 3 Requires the R-net PM 120 Amp Expandable Controller (ECR120)

▼ BATTERY CHARGER

BCOB 8A Offboard Battery Charger

▼ BATTERY TRAY AND FRAME SIZE

FS24B Battery Tray for Group 24 Batteries (Total frame width = 25 3/8")

▼ BATTERIES

BAT24PR Gel Batteries-Group 24 (Pair - On Chair)

▼ CHOOSE TIRE COLOR (APPLIES TO ALL TIRES OR CASTERS)

GREY

▼ DRIVE WHEEL

DW14PT 14" Cast Wheel Pneumatic Tire See Dealer
 DW14PI 14" Cast Wheel Pneumatic with Solid Inserts

▼ FRONT CASTERS

FC8PT-STD 8" Pneumatic Casters See Dealer
 FC8PI 8" Pneumatic Casters with Solid Inserts

▼ SEAT TO FLOOR HEIGHT (Approximate measurement to the top of seat pan ± ¼")

► Options for a Seat Only

<input type="checkbox"/> STFH1625	16 ¼" (Possible Seat angle of 0° only)	<input type="checkbox"/> STFH1925	19 ¼" (Possible Seat angle of 0°, 3° and 6°)
<input type="checkbox"/> STFH1725	17 ½" (Possible Seat angle of 0° and 3°)	<input type="checkbox"/> STFH2025	20 ¼" (Possible Seat angle of 0°, 3°, 6°, 9°)
<input type="checkbox"/> STFH1825	18 ¾" (Possible Seat angle of 0° and 3°)		

► Options for the 45° HD Power Tilt

<input type="checkbox"/> STFH17	17" (Possible Seat angle of 0° only)	<input type="checkbox"/> STFH185	18 ½" (Possible Seat angle of 0° only)
<input type="checkbox"/> STFH175	17 ½" (Possible Seat angle of 0° only)	<input type="checkbox"/> STFH19	19" (Possible Seat angle of 0° only)
<input type="checkbox"/> STFH18	18" (Possible Seat angle of 0° only)		

► Options for the HD Power Elevating Seat

STFH175 17 ½" (Possible Seat angle of 0° only)

► Options for a Combo - Power Tilt with an HD Power Elevating Seat

STFH1925 19 ¼" (Possible Seat angle of 0° only)

▼ PRE-SET SEAT FRAME ANGLE

SFE-0 0° Pre-set seat frame seat angle (Must be selected when using power options)

SFE-3 3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)

SFE-6 6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)

SFE-9 9° Pre-set seat frame seat angle (Only available with a seat configuration without power options)

▼ LIGHTING PACKAGE

EOLP 4 LED Light Package (Includes front beams, side flashers, rear tail light with flashers & brake light) See Dealer
Note 4 Requires the upgraded Joystick with Light Operation or the OMNI (ECVJ6KL, ECELJL, ECRJCL, ECRJCTPL, ECRJC35B or EDIB).

EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

<input type="checkbox"/>	ECEL90	R-net EL 90 Amp Expandable Controller	
<input type="checkbox"/>	ECR120	R-net PM 120 Amp Expandable Controller	See Dealer
<input type="checkbox"/>	ECRNH	6 Harness for Expandable Controller	
Note 6 Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI screen			

EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

<input type="checkbox"/>	ECO	Omit Joystick (For use with an Omni Display)	J
<input type="checkbox"/>	ECELJ	7 R-net (LED) Joystick	
<input type="checkbox"/>	ECRJJC	7 R-net Joystick with Color screen	J
▶ JOYSTICKS WITH LIGHTING OPERATION			
<input type="checkbox"/>	ECELJL	7 R-net (LED) Joystick with Lighting Operation	See Dealer
<input type="checkbox"/>	ECRJCL	7 R-net Joystick with Color screen and Lighting Operation	See Dealer
<input type="checkbox"/>	ECRJCTPL	7 R-net Joystick with Color screen w/ On & Off/ Mode switch & speed pt and Lighting Operation.	See Dealer
▶ ADVANCED JOYSTICK			
<input type="checkbox"/>	ECRJ35B	7 R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	See Dealer
Note 7 This option requires the expandable controller ECEL90 or ECR120			

JOYSTICK MOUNT

<input type="checkbox"/>	JSMF	Fixed Joystick Mount	
<input type="checkbox"/>	JSMSA	Swing Away Joystick Mount - Height adjustable, Angle adjustable and Multi-Axis	See Dealer
<input type="checkbox"/> Set-up with standard installation to swing-away sideways <input type="checkbox"/> Set-up at 35° to swing-away sideways and downwards			
<input type="checkbox"/>	JSMCM	Midline Mounted Swing Away Joystick Mount	See Dealer

JOYSTICK MOUNT SUPPORT

<input type="checkbox"/>	JSMFH	Joystick mount support Bracket	
--------------------------	-------	--------------------------------	--

JOYSTICK HAND MOUNT

<input type="checkbox"/>	HML	Install Joystick on Left hand side	<input type="checkbox"/>	HMR	Install Joystick on Right hand side
--------------------------	-----	------------------------------------	--------------------------	-----	-------------------------------------

JOYSTICK HANDLE

<input type="checkbox"/>	JSH	Standard Joystick Gimble	
<input type="checkbox"/>	JBAT	Stick Handle 3" in Length	See Dealer
<input type="checkbox"/>	JBH	Ball Handle	See Dealer
<input type="checkbox"/>	JFBH	Foam Ball Handle	See Dealer
<input type="checkbox"/>	JTH	T-Handle	See Dealer
<input type="checkbox"/>	JMUSH	New 2.5" Mushroom Handle	See Dealer
<input type="checkbox"/>	JGP	Goalpost Handle	See Dealer

ATTENDANT DRIVE CONTROL OPTION

<input type="checkbox"/>	EADC	Attendant Hand Control for R-net EL & PM Controls	See Dealer
--------------------------	------	---------------------------------------------------	------------

ATTENDANT JOYSTICK HAND MOUNT

<input type="checkbox"/>	EADCL	Install Attendant Joystick on Rear Left hand side	<input type="checkbox"/>	EADCR	Install Attendant Joystick on Rear Right hand side	See Dealer
--------------------------	-------	---------------------------------------------------	--------------------------	-------	----------------------------------------------------	------------

ENHANCED DISPLAY & DIGITAL INTERFACE BOX (Included with specialty controls)

<input type="checkbox"/>	EDIB-F-CA	8 OMNI2 (Enhanced Display & Digital Interface Box with Infrared)	J
Note 8 Allows the switch operation of alternative devices through driver controls. Requires one of the R-net fully Expandable Controllers (ECEL90 or ECR120)			

ENHANCED DISPLAY MOUNT

<input type="checkbox"/>	EDSAM	User Swing Away Mount	<input type="checkbox"/>	EDML	(Install Display on LH side)	<input type="checkbox"/>	EDMR	(Install Display on RH side)
--------------------------	-------	-----------------------	--------------------------	------	------------------------------	--------------------------	------	------------------------------

▼ ENVIRONMENTAL CONTROL MODULE

<input type="checkbox"/> ECU	9	Environment control module - (Output Module)	See Dealer
	Note 9	Requires one of the fully expandable R-net controllers (ECEL90 or ECR120)	

▼ BLUETOOTH MOUSE EMULATOR (Includes USB Dongle)

<input type="checkbox"/> EDBT	10	Bluetooth Mouse Emulator (USB Dongle included)	See Dealer
	Note 10	Requires one of the fully expandable R-net controllers (ECEL90 or ECR120). Not required if the ECRJ35B joystick has been selected. Not limited to only one selection. Any two can be installed on the same chair, but only one can be used at a time.	
		<input type="checkbox"/> Windows and MAC OS <input type="checkbox"/> Android Devices	<input type="checkbox"/> iPhone, iPad, and iPod

▼ POWER OPTIONS & SEATING

<input type="checkbox"/> SAABAHD		Bariatric Amyseat Rehab Seat - Seat Frame only	
<input type="checkbox"/> SAPTXVHD	11	Bariatric CG Power Tilt	J
<input type="checkbox"/> SAPRXVHD	11,13	Bariatric Power Recline with Integrated Shear Reduction (ISR)	J
<input type="checkbox"/> SAPTPRXVHD	11,13	Bariatric CG Power Tilt and Power Recline with Integrated Shear Reduction (ISR)	J
<input type="checkbox"/> SAPESXHD	11,12	Heavy-Duty 11" Power Elevating Seat Module for transfer assist	See Dealer
<input type="checkbox"/> ADDPESXVHD	12	Module - Add a Heavy-Duty 11" Power Elevating Seat to either SAPTXVHD, SAPRXVHD or SAPTPRXVHD	See Dealer
	Note 11	These options include the fully adjustable Amyseat (SAABAHD)	
	Note 12	The maximum user weight with this option is 400 lb	
	Note 13	It is recommended to order the Contour Back Support option with the power recline (STDSB)	

▼ ELECTRONICS - SINGLE OR DUAL (1 OR 2 ACTUATORS) POWER SEAT FUNCTION CONTROLLERS

<input type="checkbox"/> EPSEL	14, 15	Tilt or Elevating seat activation through R-NET 90 Amp Expandable Controller (ECEL90)	
<input type="checkbox"/> SAC		Single (1 Actuator) Power Seat Function Controller to Interface through R-net Electronics	
<input type="checkbox"/> DAC		Dual (2 Actuators) Power Seat Function Controller to Interface through R-net Electronics	
With the SAC or DAC, please select one activation and position from the list below			
<input type="checkbox"/> SWTJSS	16, 17	Single actuator activation through R-net Joystick or Specialty Controls EPSR2A	
<input type="checkbox"/> SWTJSD	16, 18	Dual actuator activation through R-net Joystick or Specialty Controls EPSRA	
<input type="checkbox"/> SWDUALACT		Dual Activation (Allows to operate all seat functions with external switches and through the joystick)	
<input type="checkbox"/> SWTOGGLE	17 or 18	Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/> SWPUSH1	17	Single Push Button Switch (Single Mode: SAC)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/> SWPUSH2	17 or 18	Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
	Note 14	Allows for the activation of a single power option through the VR2 or R-net 90 Amp Controllers. Only the Power Tilt or Elevating seat options are available with this feature.	
	Note 15	These options do not require the SAC controller as they connect via the chair's power module directly	
	Note 16	Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expandable Controllers	
	Note 17	Requires the Single (1 Actuator) Power Seat Function (SAC)	
	Note 18	Requires the Dual (2 Actuators) Power Seat Function (DAC)	

▼ ELECTRONICS - MULTIPLE (3 to 6 ACTUATORS) POWER SEAT FUNCTION CONTROLLER

<input type="checkbox"/> MAC		Multiple (3 to 6 Actuators) Power Seat Function Controller to Interface through R-net Electronics	
With the MAC, please select one activation and position from the list below			
<input type="checkbox"/> SWTJSM	19,20	Multiple Actuator activation through R-net Joystick or Specialty Controls MAC-EPSR	
<input type="checkbox"/> SWDUALACT		Dual Activation (Allows to operate all seat functions with external switches and through the joystick)	
<input type="checkbox"/> SWMULTI	19	4-Way Toggle Switch (Up to 4 Activations)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/> SWMULTIT	19	Triple Toggle Switch (Up to 5 Activations)	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/> SWPUSH4	19	4-Way Push Button Switch	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
<input type="checkbox"/> SWPUSH5	19	5-Way Push Button Switch	<input type="checkbox"/> User Activation <input type="checkbox"/> Attendant Activation
	Note 19	Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)	
	Note 20	Requires the R-net 90 Amp (ECEL90) or 120 Amp (ECR120) Fully Expandable Controller, and the multiple Actuator Controller (MAC)	

▼ SWITCH ACTIVATION HAND MOUNT

Switch Installation:	<input type="checkbox"/> TSML (Install Switch on LH side)	<input type="checkbox"/> TSMR (Install Switch on RH side)	N/C
----------------------	-----------------------------------------------------------	-----------------------------------------------------------	-----

▼ LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 26"

- SOWN19-24-22 Width adjustment from 19" to 24" with a maximum Depth 22"
- SOWN24-28-24 Width adjustment from 24" to 28" with a maximum Depth 24"

- 19" (SOWN19S) 23" (SOWN23HDS) 26" (SOWN26HDL)
- 20" (SOWN20HDS) 24" (SOWN24HDS) 27" (SOWN27HDL)
- 21" (SOWN21HDS) 24" (SOWN24HDL) 28" (SOWN28HDL)
- 22" (SOWN22HDS) 25" (SOWN25HDL)

▼ ADJUSTABLE SEAT DEPTH RANGE BETWEEN 17" AND 24"

- 17" (SODN17) 20" (SODNHD20) 23" (SODNHD23)
- 18" (SODN18) 21" (SODNHD21) 24" (SODNHD24)
- 19" (SODNHD19) 22" (SODNHD22)

▼ BACK CANE HEIGHT (The back cane height measurement is taken from the seat pan to the top of the push handles)

- 16" (SOBCH16) 20" (SOBCH20) 24" (SOBCH24)
- 18" (SOBCH18) 22" (SOBCH22) 26" (SOBCH26)

Note 21 22" is the minimum back cane height required with a power or manual recline.

▼ PRE-SET SEAT ANGLE (For Non-Reclining Backs)

- SOBAA Please Select one: 82° 90° 98° 106°

▼ BACK SUPPORT

- STDSB 22 Contour back support with a maximum shell height of 22" (15" to 20") See Dealer
- STDSB/CUSTOM Contour back support Non Standard Sizes up to 26" wide Width: _____ Height: _____ See Dealer
- _____ Back Upholstery
- _____ Omit Back Upholstery

Note 22 It is recommended to use the Contour Back Support option with the power or manual recline.

▼ BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

- 16" (SOBH16) 20" (SOBH20) 24" (SOBH24)
- 18" (SOBH18) 22" (SOBH22) 23

Note 23 22" is the minimum back height required with a power or manual recline.

Note 24 The space between the bottom of the back and the seat pan is 4" with a non-reclining back and 6" with a reclining back

▼ CANTILEVER - HEIGHT ADJUSTABLE ARMRESTS - OPENS WITH A 5° ANGLE (For Non-Reclining Backs - Choose 2)

- SOAFBFLH Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 7" to 15" with 1" increments) J
- SOAFBFRH Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 7" to 15" with 1" increments) J
- SOAFBDLH Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 7" to 15" with 1" increments) J
- SOAFBDRH Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 7" to 15" with 1" increments) J

▼ DUAL POST - HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRANSFER GRIPS (For Non-Reclining Backs - Choose 2)

- SOADPFLH Dual Post Height Adjustable - Full Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")
- SOADPFRH Dual Post Height Adjustable - Full Length Right Side (Height Adjustable from 10 ¼" - 15 ¼")
- SOADPDHLH Dual Post Height Adjustable - Desk Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")
- SOADPDRH Dual Post Height Adjustable - Desk Length Right Side (Height Adjustable from 10 ¼" - 15 ¼")

▼ RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (For Reclining Backs - Choose 2)

- SOANIFLH Reclining armrest - Full Length Left Side (Height Adjustable from 10 ½" to 14" with ½" increments) J*
- SOANIFRH Reclining armrest - Full Length Right Side (Height Adjustable from 10 ½" to 14" with ½" increments) J*
- SOANIDLH Reclining armrest - Desk Length Left Side (Height Adjustable from 10 ½" to 14" with ½" increments) J*
- SOANIDRH Reclining armrest - Desk Length Right Side (Height Adjustable from 10 ½" to 14" with ½" increments) J*

*Only available with approval for power recline (MWP)

▼ ARMREST HEIGHT ADJUSTMENT AT FACTORY

Please set the Armrest Height at: _____ " (The Armrest Height is taken from the seat pan to the top of the armpad. Not required for Dual Post)

▼ ARMPADS

► Foam Type Selection

<input type="checkbox"/>	SOFAPD	Desk Length Standard (10")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	
<input type="checkbox"/>	SOFAPF	Full Length Standard (14")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	
<input type="checkbox"/>	SOWAPD	27 Desk Length Waterfall (10")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	
<input type="checkbox"/>	SOWAPF	27 Full Length Waterfall (14")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	

► Hybrid Gel and Foam Type Selection (The Gel always stays soft)

<input type="checkbox"/>	SOGELD	Desk Length Hybrid Gel and Foam Flat armpad (10" x 2.5")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	See Dealer
<input type="checkbox"/>	SOGELF	Full Length Hybrid Gel and Foam Flat armpad (14" x 2.5")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	See Dealer
<input type="checkbox"/>	SOWGELD	27 Desk Length Hybrid Gel and Foam Waterfall armpad (10")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	See Dealer
<input type="checkbox"/>	SOWGELF	27 Full Length Hybrid Gel and Foam Waterfall armpad (14")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	See Dealer

► Specialty Type Selection

<input type="checkbox"/>	SOCAR	28 Arm Trough with Hand Support (18" x 4 1/2")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	See Dealer
--------------------------	-------	------------------------------------------------	------------------------------------------------------	------------------------------------------	------------

Note 27 The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports

Note 28 Arm Trough Armpads may interfere with Armrests Flipping back

▼ FOOTRESTS

<input type="checkbox"/>	SOAAF	29 Adult Heavy-Duty Swing-Away footrests	Set at: <input type="checkbox"/> 60°	<input type="checkbox"/> 70°	
<input type="checkbox"/>	ADDPLHD	26, 29 Adult Heavy-Duty Power Elevating & Articulating Legrests	Select Footrest Range: <input type="checkbox"/> SOFLHD12 (12 1/2" - 15 1/2")	<input type="checkbox"/> SOFLHD14 (14 1/2" - 19 1/2")	J*
			Please Select Function: <input type="checkbox"/> Individual	<input type="checkbox"/> Combined	
			Select Footrest Range: <input type="checkbox"/> SOFLPW12 (12 1/2" - 15 1/2")	<input type="checkbox"/> SOFLPW14 (14 1/2" - 19 1/2")	

29 Please set the Footrest Length at: _____ " (The footrest length is taken from the seat pan to the heel)

*Only available with approval for power ELR's (MWP)

Note 26 This option includes calf pads

Note 27 Individual legs count as two power functions.

Note 28 Combined legs count as one power function.

Note 29 The Footrest Length is taken from the top of the seat pan to the top of the footplate.

▼ FOOTPLATES & ACCESSORIES

<input type="checkbox"/>	SOSFAF	Flip-up Footplates			
<input type="checkbox"/>	SOAFP	Angle Adjustable & Flip-up Footplates - Each			J
<input type="checkbox"/>	SOAHL	Heel Loops - Each			
<input type="checkbox"/>	SOACPFRR	Calf Pads for Adult Heavy-Duty Swing-Away footrests (SOAAF) with adjustable hardware - Each			See Dealer

▼ CENTER MOUNTS

<input type="checkbox"/>	SOAAF90HD	33,34,36 90° Heavy-Duty Fixed Center Mount Interface Bracket (Offers Manual adjustability from 95° to 70°)	Select Foot Platform Range: <input type="checkbox"/> SOFBA12 (12 1/2" - 16 1/2")	<input type="checkbox"/> SOFBA16 (16 1/2" - 19 1/2")	
<input type="checkbox"/>	ADDPFHD	30, 32, 33, 34, 35, 36 90° Heavy-Duty Power Center Mount Elevating & Articulating Foot Platform-(Uses 1 center mounted actuator)	Select Foot Platform Range: <input type="checkbox"/> SOFBPW12 (12 1/2" - 16 1/2")	<input type="checkbox"/> SOFBPW16 (16 1/2" - 20 1/2")	J*
<input type="checkbox"/>	ADDPFVHD	31, 32, 33, 34 90° Very Heavy-Duty Power Center Mount Elevating & Articulating Foot Platform-(Uses 2 side mounted actuators)	Select Foot Platform Range: <input type="checkbox"/> SOFBPW15 (15" - 19")	<input type="checkbox"/> SOFBPW19 (19" - 23")	J*

36 Please set the Foot Platform Length at: _____ "

*Only available with approval for power ELR's (MWP)

Note 30 ADDPFHD counts as one power function

Note 31 ADDPFVHD counts as two power functions. Please select (SOFUFP) on the next page

Note 32 This option includes calf pads

Note 33 Links and attaches the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB) to the seat

Note 34 Please select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB) if compatible (See footnotes)

Note 35 The Standard user weight capacity is 450 Lbs.

Note 36 The Foot Platform length is taken from the top of the seat pan to the top of the foot platform or split footplates.

▼ FOOT PLATFORMS & ACCESSORIES

<input type="checkbox"/>	SOFUFP	Flip-up one piece Foot Platform			
<input type="checkbox"/>	SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount - Each			J
<input type="checkbox"/>	SOACPCM	Calf Pads for 90° Fixed Center Mount (SOAAF90) with adjustable hardware - Each			See Dealer

▼ SEAT POSITIONING

<input type="checkbox"/>	SOAUTO80-STD	80" Seat Positioning Strap	STD
--------------------------	--------------	----------------------------	-----

▼ HEADREST

<input type="checkbox"/>	SOFHRL	Whitmyer P1L Linx Headrest	
<input type="checkbox"/>	SOMAH	M3200 Bracket	
<input type="checkbox"/>	SOHRBC	Bracket to Mount on the Contour Back Support (Without Recline)	
<input type="checkbox"/>	SOHRSB	Bracket to Mount on the Seat Frame crossbar (Without Recline)	
<input type="checkbox"/>	SOHRPR	Bracket to Mount on the Seat Frame (For Reclining Backs)	

Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed (The frame or back cushion)

▼ LATERAL TRUNK SUPPORTS

<input type="checkbox"/>	SOSLS3-C	Adjustable Laterals with Small Curved Pads (Each) - 3" x 5"	See Dealer
<input type="checkbox"/>	SOSLM4-C	Adjustable Laterals with Medium Curved Pads (Each) - 4" x 6"	See Dealer
<input type="checkbox"/>	SOSLL5-C	Adjustable Laterals with Large Curved Pads (Each) - 5" x 7"	See Dealer

▼ HIP & THIGH SUPPORTS

<input type="checkbox"/>	SOHTSS10	Adjustable Hip & Thigh Support Pads (Each) - Small 10" x 4"	See Dealer
<input type="checkbox"/>	SOHTSM12	Adjustable Hip & Thigh Support Pads (Each) - Medium 12" x 5"	See Dealer
<input type="checkbox"/>	SOHTSL14	Adjustable Hip & Thigh Support Pads (Each) - Large 14" x 6"	See Dealer
<input type="checkbox"/>	SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware - Each	See Dealer

Please select one of the hip & thigh support pads and the adjustable & removable hardware.

▼ ACCESSORIES

<input type="checkbox"/>	SOCH	Cup Holder (Self-Leveling)	See Dealer
<input type="checkbox"/>	SOCPH	Ram Mounts X-Grip Cell Phone Holder	See Dealer
<input type="checkbox"/>	SOTHS	Ram Mounts X-Grip Small Tablet Holder	See Dealer
<input type="checkbox"/>	SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel	See Dealer

▼ REFLECTOR KIT

<input type="checkbox"/>	REFLECT	Red & White Reflector Kit Stickers (They will not be installed - Included in a bag with the owner's manual)	See Dealer
--------------------------	---------	-------------------------------------------------------------------------------------------------------------	------------

▼ SPECIALTY DRIVER CONTROL OPTIONS

▼ Therafin Sip n' Puff Kit

<input type="checkbox"/>	SCSNPK	37, 38	Therafin Sip n' Puff Kit			J
<input type="checkbox"/>	SCSNPBTk	38	Therafin Sip n' Puff Breath Tube Kit			J
<input type="checkbox"/>	SCSRMSNP	38	Stealth Rock-n-Lock Swingaway Arm for Sip n' Puff	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	J
<input type="checkbox"/>	SCSRM	38	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	J
<input type="checkbox"/>	SSES-STD	38, 40	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	J
<input type="checkbox"/>	SSBS-STD	38	Buddy Button Switch (Stop Switch) - Red			J
<input type="checkbox"/>	SOMAH	38	Multi-axis Headrest Removable Mounting Hardware			J
<input type="checkbox"/>	SOFHRS	39	Small Curved Headrest Pad 4" x 9"			J
<input type="checkbox"/>	SOFHRM	39	Medium Curved Headrest Pad 5" x 10"			J
<input type="checkbox"/>	SOFHRL	39	Large Curved Headrest Pad 6" x 11"			J

▼ Switch-It Proximity Head Array

<input type="checkbox"/>	SCSIHAA	37, 38	Adult - 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse			See Dealer
<input type="checkbox"/>	SCSRM	38	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	See Dealer
<input type="checkbox"/>	SSES-STD	38, 40	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	SSBS-STD	38	Buddy Button Switch (Stop Switch) - Red			See Dealer
<input type="checkbox"/>	SOMAH	38	Multi-axis Headrest Removable Mounting Hardware			See Dealer

▼ Switch-It Proximity Head Array & Sip n' Puff Combo

<input type="checkbox"/>	SCSICMBOA	37, 38	Adult-4 Switch Combo Head Array with two proximity sensors for Left & Right and Low pressure Sip n' Puff for forward and reverse and 1/8" jack for			See Dealer
<input type="checkbox"/>	SCSNPBTk	38	Therafin Sip n' Puff Breath Tube Kit			See Dealer
<input type="checkbox"/>	SCSRMSNP	38	Stealth Rock-n-Lock Swingaway Arm for Sip n' Puff	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	See Dealer
<input type="checkbox"/>	SCSRM	38	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	See Dealer
<input type="checkbox"/>	SSES-STD	38, 40	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	SSBS-STD	38	Buddy Button Switch (Stop Switch) - Red			See Dealer
<input type="checkbox"/>	SOMAH	38	Multi-axis Headrest Removable Mounting Hardware			See Dealer

▼ Proportional RIM Head Control Package

<input type="checkbox"/>	SCPHC	37, 38	Proportional RIM Head Control Package			J
<input type="checkbox"/>	SCSRM	38	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	J
<input type="checkbox"/>	SSES-STD	38, 40	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	J
<input type="checkbox"/>	SOMAH	38	Multi-axis Headrest Removable Mounting Hardware			J

▼ Switch-It MicroPilot Light Touch Proportional Mini joystick for chin / lip control

<input type="checkbox"/>	SCSIMP	37, 38	MicroPilot Light touch mini Proportional Joystick			See Dealer
<input type="checkbox"/>	SCSRMMP	38	Stealth Rock-n-Lock Swingaway Arm for Chin MP	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	See Dealer
<input type="checkbox"/>	SCSRM	38	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	See Dealer
<input type="checkbox"/>	SSES-STD	38, 40	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	JCC		Chin Cup			See Dealer
<input type="checkbox"/>	SOMAH	38	Multi-axis Headrest Removable Mounting Hardware			See Dealer
<input type="checkbox"/>	SOFHRS	39	Small Curved Headrest Pad 4" x 9"			See Dealer
<input type="checkbox"/>	SOFHRM	39	Medium Curved Headrest Pad 5" x 10"			See Dealer
<input type="checkbox"/>	SOFHRL	39	Large Curved Headrest Pad 6" x 11"			See Dealer

▼ Proportional Compact or Mini joystick for Midline Mount

<input type="checkbox"/>	SCPGMJS	37, 38	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			See Dealer
<input type="checkbox"/>	SCGMJSM	41	Gatlin Midline Swing-away Mount for JC200	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	SCSIMP	37, 38	Switch-It MicroPilot Light touch mini Proportional Joystick			See Dealer
<input type="checkbox"/>	SCGMPM	42	Gatlin Midline Swing-away Mount for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	SCBTM	43	Bullet Hand Tray for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer

▼ Proportional Compact or Mini joystick for Armrest Mount

<input type="checkbox"/>	SCPGMJS	37, 38	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			See Dealer
<input type="checkbox"/>	SCARMJSM	41	Swing-away and Multi-Axis armrest mount	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	SCSIMP	37, 38	Switch-It MicroPilot Light touch mini Proportional Joystick			See Dealer
<input type="checkbox"/>	SCARMPM	42	Swing-away and Multi-Axis armrest mount	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	SCBTM	43	Bullet Hand Tray for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer

Note 37 Requires the OMNI Enhanced Display and Digital Interface Box (EDIB)

Note 38 This option must be selected for the kit

Note 39 Choose one (1) Headrest Pad

Note 40 The mode switch type can be changed from this selection on Page #6

Note 41 Must be selected for use with the PG Drives JC200 Mini Joystick

Note 42 Must be selected for use with the Switch-It MicroPilot

Note 43 This option is only compatible with the Switch-It MicroPilot

▼ CUSTOM SECTION

Note 44 Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.



▼ NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS
