



Quickie Xperience 2 - MWP
December 2020

EIPW23



▼ ACCOUNT INFORMATION

Dealer Contact Name:	_____	P.O. # or Quote:	_____
E-mail Address:	_____		
Phone Number:	_____	Fax Number:	_____
Bill to (Name):	_____	User Name or Number:	_____
Bill to (Location):	_____	User Weight:	_____
Ship to (Name):	_____	User Height:	_____
Address:	_____	Seat Cushion Thickness:	_____
City:	_____	Knee to Heel Length: Left:	_____
Province:	_____	Right:	_____
	Postal Code:		

The order cannot be processed without the following:

- A user name or number, the client's measurements and weight
- Sunrise Medical is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Sunrise Medical summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

▼ STANDARD OPTIONS

Quickie Xperience 2 STD Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 6" front casters, and standard auto style buckle seat positioning strap, 6.5 mph motors.

▼ QUICKIE XPERIENCE 2 STD POWER WHEELCHAIR

- XPERSTD2 QUICKIE XPERIENCE 2 STD Power Wheelchair

▼ USER WEIGHT PACKAGES

- WCA3 300 lbs. Maximum user weight capacity

▼ STANDARD FRAME COLORS

- FCBLK Black

▼ TRANSPORT OPTION

- TTD4 1 4-Point Wheelchair Transport Brackets
 Note 1 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.
 Use these transport brackets only to secure an unoccupied wheelchair during transport.

▼ MOTOR PACKAGE

- MP65 6.5 MPH 4-Pole Motor Package

▼ ASSISTIVE DRIVING PACKAGE

- INTELLIDR 2,3 Intelli-Drive See Dealer
 Note 2 Intelli-Drive technology provides increased tracking capabilities with enhanced traction and steering precision.
 This is ideal for those with marginal hand function or switch control.
 Note 3 Requires the R-net PM 120 Amp Expandable Controller (ECR120)

▼ BATTERY CHARGER

BCOB 8A Offboard Battery Charger

▼ BATTERY TRAY AND FRAME SIZE

FS22B Battery Tray for Group 22NF Batteries (Total frame width = 23 3/8")

FS24B Battery Tray for Group 24 Batteries (Total frame width = 25 3/8") J

FS2424B 4 CUSTOM Battery Tray for Group 24 Batteries with a Compact 24" frame width See Dealer

Note 4 The 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) is not available with this option
However, they may be available in certain configurations. Please call CSR for details and possibilities.

▼ BATTERIES

BAT22NFPR SigmaTek Gel Batteries-Group 22NF (Pair - On chair)

BAT24PR SigmaTek Gel Batteries-Group 24 (Pair - On Chair) J

▼ CHOOSE TIRE COLOR (APPLIES TO ALL TIRES OR CASTERS)

GREY

▼ DRIVE WHEEL

DW14PT 14" Cast Wheel Pneumatic Tire See Dealer

DW14PI 14" Cast Wheel Pneumatic with Flat-free inserts

DW144PT 5 14" x 4" Extra Wide Cast Wheel Pneumatic Tire See Dealer

DW144PI 5 14" x 4" Extra Wide Cast Wheel Pneumatic with Flat-free inserts See Dealer

DW12PT 6 12 1/2" Cast Wheel Pneumatic Tire See Dealer

DW12PI 6 12 1/2" Cast Wheel Pneumatic with Flat-free inserts See Dealer

Note 5 The 14" x 4" Extra Wide Wheel increases the overall width of the Base by 2 1/2"
The option to match the wheels to the shroud colour (FC...-M) is not available with the 14" x 4" Extra Wide Wheels.
The 14" x 4" option is not available with the VR2 electronics (ECV902A)

Note 6 12 1/2" Drive wheels reduce overall seat to floor height by 1/4", lowers ground clearance and speed, but increases motor torque

▼ FRONT CASTERS

FC6S 6" Solid Casters (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI) See Dealer

FC8PT 7 8" Pneumatic Casters See Dealer

FC8PI 7 8" Pneumatic Casters with Flat-Free inserts

Note 7 The 8" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)

▼ SEAT TO FLOOR HEIGHT (Approximate measurement to the top of seat pan ± 1/4")

► Options for a Seat Only

<input type="checkbox"/> STFH155 8 15 1/2" (Possible Seat angle of 0° only)	<input type="checkbox"/> STFH1825 18 1/4" (Possible Seat angle of 0° and 3°)
<input type="checkbox"/> STFH1625 16 1/4" (Possible Seat angle of 0° only)	<input type="checkbox"/> STFH1925 19 1/4" (Possible Seat angle of 0°, 3°, 6°)
<input type="checkbox"/> STFH1725 17 1/4" (Possible Seat angle of 0° and 3°)	<input type="checkbox"/> STFH2025 20 1/4" (Possible Seat angle of 0°, 3°, 6°, 9°)

► Options for a Power Tilt or a STD Power Elevating Seat

<input type="checkbox"/> STFH155 8 15 1/2" (Possible Seat angle of 0° only)	<input type="checkbox"/> STFH1775 17 3/4" (Possible Seat angle of 0° only)
<input type="checkbox"/> STFH1625 16 1/4" (Possible Seat angle of 0° only)	<input type="checkbox"/> STFH1875 18 3/4" (Possible Seat angle of 0° only)
<input type="checkbox"/> STFH1725 17 1/4" (Possible Seat angle of 0° only)	

► Options for a Combo - Power Tilt with a STD Power Elevating Seat

<input type="checkbox"/> STFH175 8 17 1/2" (Possible Seat angle of 0° only)	<input type="checkbox"/> STFH1825 18 1/4" (Possible Seat angle of 0° only)
---	--

Note 8 Requires the 12 1/2" Drive wheels (DW12PT or DW12PI). This lowers ground clearance and speed, but increases motor torque.

▼ SEAT TO FLOOR HEIGHT SPECIFICATION (If not standard)

▼ PRE-SET SEAT FRAME ANGLE

SFE-0 0° Pre-set seat frame seat angle (Must be selected when using power options)

SFE-3 3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)

SFE-6 6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)

SFE-9 9° Pre-set seat frame seat angle (Only available with a seat configuration without power options)

▼ LIGHTING PACKAGE

EOLP 9 LED Light Package (Includes front beams, side flashers, rear tail light with flashers & brake light) See Dealer

Note 9 Requires the upgraded Joystick with Light Operation or the OMNI (ECVJ6KL, ECELJL, ECRJCL, ECRJCTPL, ECRJC35B or EDIB).

▼ NON-EXPANDABLE ELECTRONICS - PG DRIVES VR2 CONTROLLER AND JOYSTICKS

▼ EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

ECEL90 R-net EL 90 Amp Expandable Controller

ECR120 R-net PM 120 Amp Expandable Controller See Dealer

ECRNH 11 Harness for Expandable Controller

Note 11 Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI screen

▼ EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

<input type="checkbox"/>	ECO	Omit Joystick (For use with an Omni Display)	J
<input type="checkbox"/>	ECELJ	12 R-net (LED) Joystick	J
<input type="checkbox"/>	ECRJ	12 R-net Joystick with Color screen	J
▶ JOYSTICKS WITH LIGHTING OPERATION			
<input type="checkbox"/>	ECELJL	12 R-net (LED) Joystick with Lighting Operation	See Dealer
<input type="checkbox"/>	ECRJCL	12 R-net Joystick with Color screen and Lighting Operation	See Dealer
▶ ADVANCED JOYSTICK			
<input type="checkbox"/>	ECRJ35B	12 R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	See Dealer
	Note 12	This option requires the expandable controller ECEL90 or ECR120	

▼ JOYSTICK MOUNT

<input type="checkbox"/>	JSMF	Fixed Joystick Mount	
<input type="checkbox"/>	JSMSA	Swing Away Joystick Mount - Height adjustable, Angle adjustable and Multi-Axis	See Dealer
		<input type="checkbox"/> Set-up with standard installation to swing-a	
		<input type="checkbox"/> Set-up at 35° to swing-away sideways and downwards	
<input type="checkbox"/>	JSMCM	Midline Mounted Swing Away Joystick Mount	See Dealer

▼ JOYSTICK MOUNT SUPPORT

<input type="checkbox"/>	JSMFH	Joystick mount support Bracket	
--------------------------	-------	--------------------------------	--

▼ JOYSTICK HAND MOUNT

<input type="checkbox"/>	HML	Install Joystick on Left hand side	<input type="checkbox"/>	HMR	Install Joystick on Right hand side
--------------------------	-----	------------------------------------	--------------------------	-----	-------------------------------------

▼ JOYSTICK HANDLE

<input type="checkbox"/>	JSH	Standard Joystick Gimble	
<input type="checkbox"/>	JBAT	Stick Handle 3" in Length	See Dealer
<input type="checkbox"/>	JBH	Ball Handle	See Dealer
<input type="checkbox"/>	JFBH	Foam Ball Handle	See Dealer
<input type="checkbox"/>	JTH	T-Handle	See Dealer
<input type="checkbox"/>	JMUSH	New 2.5" Mushroom Handle	See Dealer
<input type="checkbox"/>	JGP	Goalpost Handle	See Dealer

▼ ATTENDANT DRIVE CONTROL OPTION

<input type="checkbox"/>	EADC	Attendant Hand Control for R-net EL & PM Controls	See Dealer
--------------------------	------	---	------------

▼ ATTENDANT JOYSTICK HAND MOUNT

<input type="checkbox"/>	EADCL	Install Attendant Joystick on Rear Left hand s	<input type="checkbox"/>	EADCR	Install Attendant Joystick on Rear Right hand side	See Dealer
--------------------------	-------	--	--------------------------	-------	--	------------

▼ ENHANCED DISPLAY & DIGITAL INTERFACE BOX (Included with specialty controls)

<input type="checkbox"/>	EDIB-F-CA	13 OMNI2 (Enhanced Display & Digital Interface Box with Infrared)	J
	Note 13	Allows the switch operation of alternative devices through driver controls. Requires one of the R-net fully Expandable Controllers (ECEL90 or ECR120)	

▼ ENHANCED DISPLAY MOUNT

<input type="checkbox"/>	EDSAM	User Swing Away Mount	<input type="checkbox"/>	EDML (Install Display on LH side)	<input type="checkbox"/>	EDMR (Install Display on RH side)	J
--------------------------	-------	-----------------------	--------------------------	-----------------------------------	--------------------------	-----------------------------------	---

▼ ENVIRONMENTAL CONTROL MODULE

<input type="checkbox"/>	ECU	14 Environment control module - (Output Module)	See Dealer
	Note 14	Requires one of the fully expandable R-net controllers (ECEL90 or ECR120)	

▼ BLUETOOTH MOUSE EMULATOR (Includes USB Dongle)

<input type="checkbox"/>	EDBT	15 Bluetooth Mouse Emulator (USB Dongle included)	See Dealer
	Note 15	Requires one of the fully expandable R-net controllers (ECEL90 or ECR120) . Not required if the ECRJC35B joystick has been selected Not limited to only one selection. Any two can be installed on the same chair, but only one can be used at a time.	
		<input type="checkbox"/> Windows and MAC OS	<input type="checkbox"/> Android Devices
		<input type="checkbox"/> iPhone, iPad and iPod	

▼ POWER OPTIONS & SEATING

<input type="checkbox"/>	SAABA	Amyseat Rehab Seat - Seat Frame only	
<input type="checkbox"/>	SAPT	16 CG Power Tilt	J
<input type="checkbox"/>	SAPRX	16, 18 Power Recline with Integrated Shear Reduction (ISR)	J
<input type="checkbox"/>	SAPT	16, 18 CG Power Tilt and Power Recline with Integrated Shear Reduction (ISR)	J
<input type="checkbox"/>	SAPESX	16 11" Power Elevating Seat Module for transfer assist	See Dealer
<input type="checkbox"/>	ADDPESX	Module - Add an 11" Power Elevating Seat to either SAPTX, SAPRX or SAPTPRX	See Dealer
<input type="checkbox"/>	ADDMR	17, 18 Module - Manual Recline with Integrated Shear Reduction (ISR)	See Dealer
	Note 16	These options include the fully adjustable Amyseat (SAABA)	
	Note 17	The maximum user weight capacity with this option is 250 lbs	
	Note 18	It is recommended to use the Contour Back Support option with the power or manual reclines (STDSB or STDSB/CUSTOM)	

▼ ELECTRONICS - SINGLE OR DUAL (1 OR 2 ACTUATORS) POWER SEAT FUNCTION CONTROLLERS

- EPSV 19, 20 Tilt or Elevating seat activation through **6-key VR2** Hand Control (ECVJ6K or ECVJ9KL)
 - EPSEL 19, 20 Tilt or Elevating seat activation through **RNET 90 Amp Expandable Controller (ECEL90)**
 - SAC Single (1) Power Seat Function Controller to Interface through R-net Electronics
 - DAC Dual (2) Power Seat Function Controller to Interface through R-net Electronics
- With the SAC or DAC, please select one activation and position from the list below**
- SWTJSS 21, 22 Single actuator activation through R-net Joystick or Specialty Controls EPSR2A
 - SWTJSD 21, 23 Dual actuator activation through R-net Joystick or Specialty Controls EPSRA
 - SWDUALACT Dual Activation (Allows to operate all seat functions with external switches **and** through the joystick)
 - SWTOGGLE 22 or 23 Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) User Activation Attendant Activation
 - SWPUSH1 22 Single Push Button Switch (Single Mode: SAC) User Activation Attendant Activation
 - SWPUSH2 22 or 23 Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) User Activation Attendant Activation
- Note 19** Allows for the activation of a single power option through the VR2 or R-net 90 Amp Controllers.
Only the Power Tilt or Elevating seat options are available with this feature.
- Note 20** These options do not require the SAC controller as they connect via the chair's power module directly
- Note 21** Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expandable Controllers
- Note 22** Requires the Single (1 Actuator) Power Seat Function (SAC)
- Note 23** Requires the Dual (2 Actuators) Power Seat Function (DAC)

▼ ELECTRONICS - MULTIPLE (3 to 6 ACTUATORS) POWER SEAT FUNCTION CONTROLLER

- MAC Multiple (3 to 6 Actuators) Power Seat Function Controller to Interface through R-net Electronics
- With the MAC, please select one activation and position from the list below**
- SWTJSM 24, 25 Multiple Actuator activation through R-net Joystick or Specialty Controls MAC-EPSR
 - SWDUALACT Dual Activation (Allows to operate all seat functions with external switches **and** through the joystick)
 - SWMULTI 25 4-Way Toggle Switch (Up to 4 Activations) User Activation Attendant Activation
 - SWMULTIT 25 Triple Toggle Switch (Up to 5 Activations) User Activation Attendant Activation
 - SWPUSH4 25 4-Way Push Button Switch User Activation Attendant Activation
 - SWPUSH5 25 5-Way Push Button Switch User Activation Attendant Activation
- Note 24** Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)
- Note 25** Requires the R-net 90 Amp (ECEL90) or 120 Amp (ECR120) Fully Expandable Controller, and the multiple Actuator Controller (MAC)

▼ SWITCH ACTIVATION HAND MOUNT

Switch Installation: TSML (Install Switch on LH side) TSMR (Install Switch on RH side) N/C

▼ PRE-SET SEAT ANGLE (For Non-Reclining Backs)

SOBAA Please Select one: 86° 90° 94° 98° 102° 106° 110° 114° 118° 122° N/C

▼ STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 15" AND 20"

- SOWN15-20-19 (Width adjustment from 15" to 20" with a maximum Depth of 19") N/C
 - SOWN15-20-22 (Width adjustment from 15" to 20" with a maximum Depth of 22") N/C
- 15" (SOWN15) 17" (SOWN17) 19" (SOWN19S)
- 16" (SOWN16) 18" (SOWN18) 20" (SOWN20S)

▼ LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 24"

- SOWN19-24-22 (Width adjustment from 19" to 24" and Depth range of 18" to 22")
- 19" (SOWN19L) 21" (SOWN21) 23" (SOWN23)
- 20" (SOWN20L) 22" (SOWN22) 24" (SOWN24)

▼ ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 22"

- 15" (SODN15) 16" (SODN16) 17" (SODN17) 18" (SODN18)
- 19" (SODN19) 20" (SODN20) 21" (SODN21) 22" (SODN22)

▼ BACK CANE HEIGHT (The back cane height measurement is taken from the seat pan to the top of the push handles)

- 16" (SOBCH16) 20" (SOBCH20) 24" (SOBCH24)
- 18" (SOBCH18) 22" (SOBCH22) 26" (SOBCH26)

Note 26 22" is the minimum back cane height required with a power or manual recline.

▼ BACK SUPPORT

- STDSB 27 Standard contour back support 15" to 20" Wide with a maximum shell height of 22" See Dealer
- STDSB/CUSTOM Standard contour back support Non Standard Sizes up to 24" wide Width: _____ Depth: _____ See Dealer
- Backrest Upholstery
- Omit Backrest Upholstery

Note 27 It is recommended to use the Back Support option with the power or manual recline.

▼ BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

- 16" (SOBH16) 20" (SOBH20) 24" (SOBH24) 28" (SOBH28)
- 18" (SOBH18) 22" (SOBH22) 26" (SOBH26)

Note 28 22" is the minimum back height required with a power or manual recline.

Note 29 The space between the bottom of the back and the seat pan is 4" with a non-reclining back and 6" with a reclining back

▼ SEAT CUSHIONS

▼ CANTILEVER - HEIGHT ADJUSTABLE ARMRESTS - OPENS WITH A 5° ANGLE (For Non-Reclining Backs - Choose 2)

- SOAFBFLH Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 7" to 15" with 1" increments) J
- SOAFBFRH Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 7" to 15" with 1" increments) J
- SOAFBDLH Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 7" to 15" with 1" increments) J
- SOAFBDRH Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 7" to 15" with 1" increments) J

▼ DUAL POST - HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRANSFER GRIPS (For Non-Reclining Backs - Choose 2)

- SOADPFLH Dual Post Height Adjustable - Full Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")
- SOADPFRH Dual Post Height Adjustable - Full Length Right Side (Height Adjustable from 10 ¼" - 15 ¼")
- SOADPDLH Dual Post Height Adjustable - Desk Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")
- SOADPRH Dual Post Height Adjustable - Desk Length Right Side (Height Adjustable from 10 ¼" - 15 ¼")

▼ RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (For Reclining Backs - Choose 2)

- SOANIFLH Reclining armrest - Full Length Left Side (Height Adjustable from 10 ½" to 14" with ½" increments) J*
 - SOANIFRH Reclining armrest - Full Length Right Side (Height Adjustable from 10 ½" to 14" with ½" increments) J*
 - SOANIDLH Reclining armrest - Desk Length Left Side (Height Adjustable from 10 ½" to 14" with ½" increments) J*
 - SOANIDRH Reclining armrest - Desk Length Right Side (Height Adjustable from 10 ½" to 14" with ½" increments) J*
- *Only available with approval for power recline (MWP)**

▼ ARMREST HEIGHT ADJUSTMENT AT FACTORY

Please set the Armrest Height at: _____ " (The Armrest Height is taken from the seat pan to the top of the armpad. Not required for Dual Post)

▼ ARMPADS

► Foam Type Selection

- SOFAPD Desk Length Standard (10") Select Side: Left Hand Side Right Hand Side
- SOFAPF Full Length Standard (14") Select Side: Left Hand Side Right Hand Side
- SOWAPD 30 Desk Length Waterfall (10") Select Side: Left Hand Side Right Hand Side
- SOWAPF 30 Full Length Waterfall (14") Select Side: Left Hand Side Right Hand Side

► Hybrid Gel and Foam Type Selection (The Gel always stays soft)

- SOGELD Desk Length Hybrid Gel and Foam Flat armpad (10" x 2.5") Select Side: Left Hand Side Right Hand Side See Dealer
- SOGELF Full Length Hybrid Gel and Foam Flat armpad (14" x 2.5") Select Side: Left Hand Side Right Hand Side See Dealer
- SOWGELD 30 Desk Length Hybrid Gel and Foam Waterfall armpad (10") Select Side: Left Hand Side Right Hand Side See Dealer
- SOWGELF 30 Full Length Hybrid Gel and Foam Waterfall armpad (14") Select Side: Left Hand Side Right Hand Side See Dealer

► Specialty Type Selection

- SOCAR 31 Arm Trough with Hand Support (18" x 4 ½") Select Side: Left Hand Side Right Hand Side See Dealer
- Note 30 The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports
- Note 31 Arm Trough Armpads may interfere with Armrests Flipping back.

▼ FOOTRESTS

- SOSAAF 35 Adult Swing-Away Footrests Set at: 60° 70°
Select Footrest Range: SOFLA10 (10 ½" - 15 ½") SOFLA14 (14 ½" - 19 ½")
 - SOAAF 35 Adult Heavy Duty Swing-Away footrests Set at: 60° 70° J
 - ADDPL 32, 35 Adult Power Elevating & Articulating Legrests Please Select Function: Individual 33 Combined 34 J*
- Select Footrest Range: SOFLHD12 (12 ½" - 15 ½") SOFLHD14 (14 ½" - 19 ½")
- Select Footrest Range: SOFLPW12 (12 ½" - 15 ½") SOFLPW14 (14 ½" - 19 ½")
- 35 Please set the Footrest Length at: _____ " ***Only available with approval for power ELRs (MWP)**

Note 32 This options includes calf pads
 Note 33 Individual legs count as two power functions.
 Note 34 Combined legs count as one power function.
 Note 35 The Footrest Length is taken from the top of the seat pan to the top of the footplate.

▼ FOOTPLATES & ACCESSORIES

- SOSFAF Flip-up Footplates
- SOAFP Angle Adjustable & Flip-up Footplates - Each J
- SOAHL Heel Loops - Each
- SOACPFPR Calf Pads for Adult Heavy-Duty Swing-Away footrests (SOAAF) with adjustable hardware - Each See Dealer

▼ CENTER MOUNTS

- SOAAF90 38, 39, 40 90° Fixed Center Mount Interface Bracket (Offers Manual adjustability from 95° to 70°)
Select Foot Platform Range: SOFBA12 (12 ½" - 16 ½") SOFBA16 (16 ½" - 19 ½")
 - ADDPF 36, 37, 38, 39, 40 90° Power Center Mount Elevating & Articulating Foot Platform J*
- Select Foot Platform Range: SOFBPW12 (12 ½"- 16 ¹/₂) SOFBPW16 (16 ½" - 20 ½")

Please set the Foot Platform Length at: _____ "

***Only available with approval for power ELR's (MWP)**

Note 36 The power centermount counts as one power function

Note 37 This option includes calf pads

Note 38 Links and attaches the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB) to the seat

Note 39 Please select the one piece centermount foot platform (SOFUFP) or the split footplates (SOAFPFB)

Note 40 The Foot Platform length is taken from the top of the seat pan to the top of the foot platform or split footplates.
 Centermount Front Riggings are not available with the Straight Front Arm option due to Mechanical conflicts.
 This option is not compatible with the 9" Caster option.

▼ FOOT PLATFORMS & ACCESSORIES

- SOFUFP Flip-up one piece Foot Platform
- SOAFPFB Angle Adjustable & Flip-up Split Footplates for center mount - Each J
- SOACPCM Calf Pads for 90° Fixed Center Mount (SOAAF90) with adjustable hardware - Each See Dealer

▼ SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19-ISO OPTION)

- SOAUTO 55" Seat Positioning Strap

▼ HEADREST

- Whitmyer P1L Linx Headrest
- M2300 Bracket
- SOHRSB Bracket to Mount on the Seat Frame crossbar (Without Recline)
- SOHRPR Bracket to Mount on the Seat Frame (For Reclining Backs)

Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed (The frame or back cushion)

▼ LATERAL TRUNK SUPPORTS

Table with 3 columns: Item ID, Description, and See Dealer. Includes items SOSLS3-C, SOSLM4-C, and SOSLL5-C.

▼ HIP & THIGH SUPPORTS

Table with 3 columns: Item ID, Description, and See Dealer. Includes items SOHTSS10, SOHTSM12, SOHTSL14, and SOHTSARH.

Please select one of the hip & thigh support pads and the adjustable & removable hardware.


▼ ACCESSORIES

Table with 3 columns: Item ID, Description, and See Dealer. Includes items SOCH, SOCPH, SOTHS, and SOTHL.

▼ REFLECTOR KIT

Table with 3 columns: Item ID, Description, and See Dealer. Includes item REFLECT.

▼ SWITCHES AND OPTIONS



▼ SPECIALTY DRIVER CONTROL OPTIONS

▼ Therafin Sip n' Puff Kit

Table with 3 columns: Item ID, Description, and See Dealer. Includes items SCSNPBK, SCSRMSNP, SCSRM, SSSES-STD, SSBS-STD, SOMAH, SOFHRS, SOFHRM, and SOFHRL.

▼ Switch-It Proximity Head Array

Table with 3 columns: Item ID, Description, and See Dealer. Includes items SCSIHAA, SCSRM, SSSES-STD, SSBS-STD, and SOMAH.

▼ Switch-It Proximity Head Array & Sip-N-Puff Combo

Table with 3 columns: Item ID, Description, and See Dealer. Includes items SCSICMBOA, SCSNPBK, SCSRMSNP, SCSRM, SSSES-STD, SSBS-STD, and SOMAH.

▼ Proportional RIM Head Control Package

Table with 3 columns: Item ID, Description, and See Dealer. Includes items SCPHC, SCSRM, SSSES-STD, and SOMAH.

▼ Switch-It MicroPilot Light Touch Proportional Mini joystick for chin / lip control

Table with 3 columns: Item ID, Description, and See Dealer. Includes items SCSIMP, SCSRMMMP, SCSRM, SSSES-STD, JCC, SOMAH, SOFHRS, SOFHRM, and SOFHRL.

▼ Proportional Compact or Mini joystick for Midline Mount

Table with 3 columns: Item ID, Description, and See Dealer. Includes items SCPGMJS, SCGMJSM, SCSIMP, SCGMPM, and SCBTM.

▼ Proportional Compact or Mini joystick for Armrest Mount

Table with 3 columns: Item ID, Description, and See Dealer. Includes items SCPGMJS, SCARMJSM, SCSIMP, SCARMMPM, and SCBTM.

- Note 41 Requires the OMNI Enhanced Display and Digital Interface Box (EDIB)
Note 42 This option must be selected for the kit
Note 43 Choose one (1) Headrest Pad
Note 44 The mode switch type can be changed from this selection on Page #6
Note 45 Must be selected for use with the PG Drives JC200 Mini Joystick
Note 46 Must be selected for use with the Switch-It MicroPilot
Note 47 This option is only compatible with the Switch-It MicroPilot

Customer Service: (800) 263-3390 Fax: (800) 561-5834 E-mail: cscanada@sunmed.com www.sunrisemedical.ca
Specifications are subject to change without notice. © 2020 Sunrise Medical Canada Inc. CN-100011-CAN REV (12).

▼ CUSTOM SECTION



▼ NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS
