



Quickie Xplore2 HD - MWP

September 2020



EIPW24

▼ ACCOUNT INFORMATION

Dealer Contact Name:	_____	P.O. # or Quote:	_____
E-mail Address:	_____	User Name or Number:	_____
Phone Number:	_____ Fax Number: _____	User Weight:	_____
Bill to (Name):	_____	User Height:	_____
Bill to (Location):	_____	Seat Cushion Thickness:	_____
Ship to (Name):	_____	Knee to Heel Length: Left: _____ Right: _____	
Address:	_____		
City:	_____		
Province:	_____ Postal Code: _____		

The order cannot be processed without the following:

- A user name or number, the client's measurements and weight
- Sunrise Medical is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Sunrise Medical summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

▼ STANDARD OPTIONS

Quickie Xplore 2 STD Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 8" front casters, and standard auto style buckle seat positioning strap, 6.5 mph motors.

▼ QUICKIE Xplore 2 STD POWER WHEELCHAIR

XPLOREHD2 QUICKIE Xplore 2 HD Power Wheelchair

▼ USER WEIGHT PACKAGES

WCA4 400 lbs. Maximum user weight capacity

▼ STANDARD FRAME COLORS

FCBLK Black

▼ TRANSPORT OPTION

TTD4 2 4-Point wheelchair transport brackets
 Note 2 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.
 Use these transport brackets only to secure an unoccupied wheelchair during transport.

▼ MOTOR PACKAGE

MP65 6.5 MPH 4-Pole Motor Package / with COG Release

▼ ASSISTIVE DRIVING PACKAGE

INTELLIDR Intelli-Drive See Dealer
 Note 3 Intelli-Drive technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch control.
 Note 4 Requires the R-net PM 120 Amp Expandable Controller (ECR120)

▼ BATTERY CHARGER

BCOB 8A Offboard Battery Charger

▼ BATTERY TRAY AND FRAME SIZE

FS24B Battery Tray for Group 24 Batteries (Total frame width = 25 3/8")
Please Select One Option: Front Caster Arms Flared out (STD) Straight (Optional)
Note 5 The Straight Front Arm option is not available with any of the Centermount Front Rigging Options due to Mechanical conflicts

▼ BATTERIES

BAT24PR Gel Batteries-Group 24 (Pair - On chair)

▼ CHOOSE TIRE COLOR (APPLIES TO ALL TIRES OR CASTERS)

GREY

▼ DRIVE WHEEL

DW14PT 14" Cast Wheel Pneumatic Tire See Dealer
 DW14PI 14" Cast Wheel Pneumatic with Flat-Free Inserts
 DW144PT 6 14" x 4" Extra Wide Cast Wheel Pneumatic Tire See Dealer
 DW144PI 6 14" x 4" Extra Wide Cast Wheel Pneumatic with Flat-Free Inserts See Dealer
 DW12PT 7 12 1/2" Cast Wheel Pneumatic Tire See Dealer
 DW12PI 7 12 1/2" Cast Wheel Pneumatic with Flat-Free Inserts See Dealer
Note 6 The 14" x 4" Extra Wide Wheel increases the overall width of the Base by 2 1/2"
The option to match the wheels to the shroud colour (FC...M) is not available with the 14" x 4" Extra Wide Wheels.
The 14" x 4" option is not available with the VR2 electronics (ECV902A)
Note 7 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque

▼ FRONT CASTERS

FC8PTR 8" Pneumatic Casters See Dealer
 FC8PIR 8" Pneumatic Casters with Flat-Free Inserts
 FC9PT 8 9" Pneumatic Casters See Dealer
 FC9PI 8 9" Pneumatic Casters with Flat-Free Inserts See Dealer
Note 8 The 9" casters will increase the minimum seat to floor height by 1/2" and are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI)
The 9" casters are NOT compatible with many front rigging options. Please see details in the front rigging section on pg #6.

▼ SEAT TO FLOOR HEIGHT (Approximate measurement to the top of seat pan ± 1/4")

► Options for a Seat Only

STFH1525 15 1/4" (Possible Seat angle of 0° only) STFH18 18" (Possible Seat angle of 0° and 3°)
 STFH16 16" (Possible Seat angle of 0° only) STFH19 19" (Possible Seat angle of 0°, 3° and 6°)
 STFH17 17" (Possible Seat angle of 0° and 3°) STFH20 20" (Possible Seat angle of 0°, 3°, 6°, 9°)

► Options for a Power Tilt or a STD Power Elevating Seat

STFH1575 15 3/4" (Possible Seat angle of 0° only) STFH18 18" (Possible Seat angle of 0° only)
 STFH165 16 1/2" (Possible Seat angle of 0° only) STFH185 18 1/2" (Possible Seat angle of 0° only)
 STFH175 17 1/2" (Possible Seat angle of 0° only) STFH19 19" (Possible Seat angle of 0° only)

► Options for a Combo - Power Tilt with a STD Power Elevating Seat

STFH1875 18 3/4" (Possible Seat angle of 0° only)
 STFH195 19 1/2" (Possible Seat angle of 0° only)
Note 9 Requires the 12 1/2" Drive wheels (DW12PT or DW12PI). This lowers ground clearance and speed, but increases motor torque.
Note 10 These seat to floor height measurement are not available with the Heavy-Duty 11" Power Elevating Seat (SAPEXHD or ADPPSXHD)
Note 11 The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height.

▼ PRE-SET SEAT FRAME ANGLE

SFE-0 0° Pre-set seat frame seat angle (Must be selected when using power options)
 SFE-3 3° Pre-set seat frame seat angle (Only available with a seat configuration without power options)
 SFE-6 6° Pre-set seat frame seat angle (Only available with a seat configuration without power options)
 SFE-9 9° Pre-set seat frame seat angle (Only available with a seat configuration without power options)

▼ LIGHTING PACKAGE

EOLP 12 LED Light Package (Includes front beams, side flashers, rear tail light with flashers & brake light) See Dealer
Note 12 Requires the upgraded Joystick with Light Operation or the OMNI (ECVJ6KL, ECELJL, ECRJCL, ECRJCTPL, ECRJC35B or EDIB). The Light Package is not compatible with the EPSEL option.

▼ EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

<input type="checkbox"/>	ECEL90	R-net EL 90 Amp Expandable Controller	
<input type="checkbox"/>	ECR120	R-net PM 120 Amp Expandable Controller	See Dealer
<input type="checkbox"/>	ECRNH	14 Harness for Expandable Controller	
Note 14 Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI screen			

▼ EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

<input type="checkbox"/>	ECO	Omit Joystick (For use with an Omni Display)	J
<input type="checkbox"/>	ECELJ	R-net (LED) Joystick	
<input type="checkbox"/>	ECRJCL	R-net Joystick with Color screen	J
▶ JOYSTICKS WITH LIGHTING OPERATION			
<input type="checkbox"/>	ECELJL	R-net (LED) Joystick with Lighting Operation	See Dealer
<input type="checkbox"/>	ECRJCL	R-net Joystick with Color screen and Lighting Operation	See Dealer
<input type="checkbox"/>	ECRJCTPL	R-net Joystick with Color screen w/ On & Off/ Mode switch & speed pt and Lighting Operation.	See Dealer
▶ ADVANCED JOYSTICK			
<input type="checkbox"/>	ECRJ35B	15 R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	See Dealer
Note 15 This option requires the expandable controller ECEL90 or ECR120			

▼ JOYSTICK MOUNT

<input type="checkbox"/>	JSMF	Fixed Joystick Mount	
<input type="checkbox"/>	JMSA	Swing Away Joystick Mount - Height adjustable, Angle adjustable and Multi-Axis	See Dealer
		<input type="checkbox"/> Set-up with standard installation <input type="checkbox"/> Set-up at 35° to swing-away sideways and downwards	
<input type="checkbox"/>	JSMCM	Midline Mounted Swing Away Joystick Mount	See Dealer

▼ JOYSTICK MOUNT SUPPORT

<input type="checkbox"/>	JSMFH	Joystick mount support Bracket	
--------------------------	-------	--------------------------------	--

▼ JOYSTICK HAND MOUNT

<input type="checkbox"/>	HML	Install Joystick on Left hand side	<input type="checkbox"/>	HMR	Install Joystick on Right hand side
--------------------------	-----	------------------------------------	--------------------------	-----	-------------------------------------

▼ JOYSTICK HANDLE

<input type="checkbox"/>	JSH	Standard Joystick Gimble	
<input type="checkbox"/>	JBAT	Stick Handle 3" in Length	See Dealer
<input type="checkbox"/>	JBH	Ball Handle	See Dealer
<input type="checkbox"/>	JFBH	Foam Ball Handle	See Dealer
<input type="checkbox"/>	JTH	T-Handle	See Dealer
<input type="checkbox"/>	JMUSH	New 2.5" Mushroom Handle	See Dealer
<input type="checkbox"/>	JGP	Goalpost Handle	See Dealer

▼ ATTENDANT DRIVE CONTROL OPTION

<input type="checkbox"/>	EADC	Attendant Hand Control for R-net EL & PM Controls	See Dealer
--------------------------	------	---	------------

▼ ATTENDANT JOYSTICK HAND MOUNT

<input type="checkbox"/>	EADCL	Install Attendant Joystick on Rear l	<input type="checkbox"/>	EADCR	Install Attendant Joystick on Rear Right hand side
--------------------------	-------	--------------------------------------	--------------------------	-------	--

▼ ENHANCED DISPLAY & DIGITAL INTERFACE BOX (Included with specialty controls)

<input type="checkbox"/>	EDIB-F-CA	16 OMNI2 (Enhanced Display & Digital Interface Box with Infrared)	J
Note 16 Allows the switch operation of alternative devices through driver controls. Requires one of the R-net fully Expandable Controllers (ECEL90 or ECR120)			

▼ ENHANCED DISPLAY MOUNT

<input type="checkbox"/>	EDSAM	User Swing Away <input type="checkbox"/> EDML (Install Display on LH side)	<input type="checkbox"/>	EDMR (Install Display on RH side)
--------------------------	-------	--	--------------------------	-----------------------------------

▼ ENVIRONMENTAL CONTROL MODULE

- ECU 17 Environment control module - (Output Module) See Dealer
- Note 17 Requires one of the fully expandable R-net controllers (ECEL90 or ECR120)

▼ BLUETOOTH MOUSE EMULATOR (Includes USB Dongle)

- EDBT 18 Bluetooth Mouse Emulator (USB Dongle included) See Dealer
- Note 18 Requires one of the fully expandable R-net controllers (ECEL90 or ECR120). Not required if the ECRJC35B joystick has been selected. Not limited to only one selection. Any two can be installed on the same chair, but only one can be used at a time.
- Windows and MAC OS Android Devices iPhone, iPad and iPod

▼ POWER OPTIONS & SEATING

- SAABA Amyseat Rehab Seat - Seat Frame only
- SAPTXHD 19 Heavy-Duty CG Power Tilt J
- SAPRXHD 19, 20 Heavy-Duty Power Recline with Integrated Shear Reduction (ISR) J
- SAPTPRXHD 19, 20 Heavy-Duty CG Power Tilt and Power Recline with Integrated Shear Reduction (ISR) J
- SAPESXHD 19 Heavy-Duty 11" Power Elevating Seat Module for transfer assist
- ADDPESXHD Module - Add a Heavy-Duty 11" Power Elevating Seat to either SAPTXHD, SAPRXHD or SAPTPRXHD See Dealer
- Note 19 These options include the fully adjustable Amyseat (SAABA)
- Note 20 It is recommended to use the Contour Back Support option with the power reclines (STDSB or STDSB/CUSTOM)

▼ ELECTRONICS - SINGLE OR DUAL (1 OR 2 ACTUATORS) POWER SEAT FUNCTION CONTROLLERS

- EPSV 21, 22 Tilt or Elevating seat activation through 6-key VR2 Hand Control (ECVJ6K or ECVJ9KL)
- EPSL 21, 22 Tilt or Elevating seat activation through R-NET 90 Amp Expandable Controller (ECEL90)
- SAC Single (1) Power Seat Function Controller to Interface through R-net Electronics
- DAC Dual (2) Power Seat Function Controller to Interface through R-net Electronics
- With the SAC or DAC, please select one activation and position from the list below
- SWTJSS 23, 24 Single actuator activation through R-net Joystick or Specialty Controls EPSR2A
- SWTJSD 23, 25 Dual actuator activation through R-net Joystick or Specialty Controls EPSRA
- SWDUALACT Dual Activation (Allows to operate all seat functions with external switches and through the joystick)
- SWTOGGLE 24 or 25 Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) User Activation Attendant Activation
- SWPUSH1 24 Single Push Button Switch (Single Mode: SAC) User Activation Attendant Activation
- SWPUSH2 24 or 25 Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) User Activation Attendant Activation
- Note 21 Allows for the activation of a single power option through the VR2 or R-net 90 Amp Controllers. Only the Power Tilt or Elevating seat options are available with this feature.
- Note 22 These options do not require the SAC controller as they connect via the chair's power module directly
- Note 23 Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expandable Controllers
- Note 24 Requires the Single (1 Actuator) Power Seat Function (SAC)
- Note 25 Requires the Dual (2 Actuators) Power Seat Function (DAC)

▼ ELECTRONICS - MULTIPLE (3 to 6 ACTUATORS) POWER SEAT FUNCTION CONTROLLER

- MAC Multiple (3 to 6 Actuators) Power Seat Function Controller to Interface through R-net Electronics
- With the MAC, please select one activation and position from the list below
- SWTJSM 26, 27 Multiple Actuator activation through R-net Joystick or Specialty Controls MAC-EPSR
- SWDUALACT Dual Activation (Allows to operate all seat functions with external switches and through the joystick)
- SWMULTI 27 4-Way Toggle Switch (Up to 4 Activations) User Activation Attendant Activation
- SWMULTIT 27 Triple Toggle Switch (Up to 5 Activations) User Activation Attendant Activation
- SWPUSH4 27 4-Way Push Button Switch User Activation Attendant Activation
- SWPUSH5 27 5-Way Push Button Switch User Activation Attendant Activation
- Note 26 Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)
- Note 27 Requires the R-net 90 Amp (ECEL90) or 120 Amp (ECR120) Fully Expandable Controller, and the multiple Actuator Controller (MAC)

▼ SWITCH ACTIVATION HAND MOUNT

- Switch Installation: TSML (Install Switch on LH side) TSMR (Install Switch on RH side)

▼ LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 26"

- SOWN19-24-22 Width adjustment from 19" to 24" with a maximum Depth 22"
- SOWN24-26-22 Width adjustment from 24" to 26" with a maximum Depth 22"

- 19" (SOWN19L) 22" (SOWN22) 24" (SOWN24HDL)
- 20" (SOWN20L) 23" (SOWN23) 25" (SOWN25HDL)
- 21" (SOWN21) 24" (SOWN24) 26" (SOWN26HDL)

▼ ADJUSTABLE SEAT DEPTH RANGE BETWEEN 17" AND 22"

- 17" (SODN17) 18" (SODN18)
- 19" (SODN19) 20" (SODN20) 21" (SODN21) 22" (SODN22)

▼ BACK CANE HEIGHT (The back cane height measurement is taken from the seat pan to the top of the push handles)

- 16" (SOBCH16) 22" (SOBCH22) ²⁸
- 18" (SOBCH18) 24" (SOBCH24)
- 20" (SOBCH20) 26" (SOBCH26)

Note 28 22" is the minimum back cane height required with a power or manual recline.

▼ PRE-SET SEAT ANGLE (For Non-Reclining Backs)

- SOBAA Please Select one: 82° 90° 98° 106°

▼ BACK SUPPORT

- STDSB ²⁹ Contour back support 15" to 20" Wide with a maximum shell height of 22" See Dealer
- STDSB/CUSTOM Contour back support Non Standard Sizes up to 24" wide Width: _____ Depth: _____ See Dealer
- Back Upholstery
- Omit Back Upholstery

Note 29 It is recommended to use the Back Support option with the power recline.

▼ BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

- 16" (SOBH16) 24" (SOBH24)
- 18" (SOBH18) 26" (SOBH26)
- 20" (SOBH20)
- 22" (SOBH22) ³⁰

Note 30 22" is the minimum back height required with a power recline.

Note 31 The space between the bottom of the back and the seat pan is 4" with a non-reclining back and 6" with a reclining back.

▼ CANTILEVER - HEIGHT ADJUSTABLE ARMRESTS - OPENS WITH A 5° ANGLE (For Non-Reclining Backs - Choose 2)

- SOAFBFLH Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 7" to 15" with 1" increments) J
- SOAFBFRH Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 7" to 15" with 1" increments) J
- SOAFBDLH Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 7" to 15" with 1" increments) J
- SOAFBDRH Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 7" to 15" with 1" increments) J

▼ DUAL POST - HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRANSFER GRIPS (For Non-Reclining Backs - Choose 2)

- SOADPFLH Dual Post Height Adjustable - Full Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")
- SOADPFRH Dual Post Height Adjustable - Full Length Right Side (Height Adjustable from 10 ¼" - 15 ¼")
- SOADPDLH Dual Post Height Adjustable - Desk Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")
- SOADPDRH Dual Post Height Adjustable - Desk Length Right Side (Height Adjustable from 10 ¼" - 15 ¼")

▼ RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (For Reclining Backs - Choose 2)

- SOANIFLH Reclining armrest - Full Length Left Side (Height Adjustable from 10 ½" to 14" with ½" increments) J*
- SOANIFRH Reclining armrest - Full Length Right Side (Height Adjustable from 10 ½" to 14" with ½" increments) J*
- SOANIDLH Reclining armrest - Desk Length Left Side (Height Adjustable from 10 ½" to 14" with ½" increments) J*
- SOANIDRH Reclining armrest - Desk Length Right Side (Height Adjustable from 10 ½" to 14" with ½" increments) J*

*Only available with approval for power recline (MWP)

▼ ARMREST HEIGHT ADJUSTMENT AT FACTORY

Please set the Armrest Height at: _____ " (The Armrest Height is taken from the seat pan to the top of the armpad. Not required for Dual Post)

▼ ARMPADS

► Foam Type Selection

<input type="checkbox"/> SOFAPD	Desk Length Standard (10")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side
<input type="checkbox"/> SOFAPF	Full Length Standard (14")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side
<input type="checkbox"/> SOWAPD	33 Desk Length Waterfall (10")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side
<input type="checkbox"/> SOWAPF	33 Full Length Waterfall (14")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side

► Hybrid Gel and Foam Type Selection (The Gel always stays soft)

<input type="checkbox"/> SOGELD	Desk Length Hybrid Gel and Foam Flat armpad (10" x 2.5")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	See Dealer
<input type="checkbox"/> SOGELF	Full Length Hybrid Gel and Foam Flat armpad (14" x 2.5")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	See Dealer
<input type="checkbox"/> SOWGELD	33 Desk Length Hybrid Gel and Foam Waterfall armpad (10")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	See Dealer
<input type="checkbox"/> SOWGELF	33 Full Length Hybrid Gel and Foam Waterfall armpad (14")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	See Dealer

► Specialty Type Selection

<input type="checkbox"/> SOCAR	34 Arm Trough with Hand Support (18" x 4 1/2")	Select Side: <input type="checkbox"/> Left Hand Side	<input type="checkbox"/> Right Hand Side	See Dealer
--------------------------------	--	--	--	------------

Note 33 The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports
 Note 34 Arm Trough Armpads may interfere with Armrests Flipping back.

▼ FOOTRESTS

<input type="checkbox"/> SOAAF	38 Adult Heavy Duty Swing-Away footrests	Set at: <input type="checkbox"/> 60°	<input type="checkbox"/> 70° 39
<input type="checkbox"/> ADDPLHD	35, 38 Adult Power Elevating & Articulating Legrests	Please Select Function: <input type="checkbox"/> Individual 36	<input type="checkbox"/> Combined 37
		Select Footrest Range: <input type="checkbox"/> SOFLPD12 (12 1/2" - 15 1/2")	<input type="checkbox"/> SOFLPD14 (14 1/2" - 19 1/2")
	38 Please set the Footrest Length at: _____ "	Select Footrest Range: <input type="checkbox"/> SOFLPW12 (12 1/2" - 15 1/2")	<input type="checkbox"/> SOFLPW14 (14 1/2" - 19 1/2")

Note 35 This options includes calf pads
 Note 36 Individual legs count as two power functions.
 Note 37 Combined legs count as one power function.
 Note 38 The Footrest Length is taken from the top of the seat pan to the top of the footplate.
 Note 39 The 70 degree footrest angle is not compatible with the 9" front casters (FC9PT and FC9PI)
 The 70 degree footrest angle may interfere with the casters when selecting the straight front caster arms option.

▼ FOOTPLATES & ACCESSORIES

<input type="checkbox"/> SOSFAFHD	Flip-up Footplates	
<input type="checkbox"/> SOAFPFD	Angle Adjustable & Flip-up Footplates - Each	J
<input type="checkbox"/> SOAHL	Heel Loops - Each	
<input type="checkbox"/> SOACPFRR	Calf Pads for Adult Heavy-Duty Swing-Away footrests (SOAAF) with adjustable hardware - Each	See Dealer

▼ CENTER MOUNTS

<input type="checkbox"/> SOAAF90	42, 43, 44, 45, 46, 47 90° Fixed Center Mount Interface Bracket (Offers Manual adjustability from 95° to 70°)	Select Foot Platform Range: <input type="checkbox"/> SOFBA12 (12 1/2" - 16 1/2")	<input type="checkbox"/> SOFBA16 (16 1/2" - 19 1/2")
<input type="checkbox"/> ADDPFHD	40, 41, 42, 44, 45, 46 90° Power Center Mount Elevating & Articulating Foot Platform	Select Foot Platform Range: <input type="checkbox"/> SOFBPW12 (12 1/2"- 16 1/2")	<input type="checkbox"/> SOFBPW16 (16 1/2"- 20 1/2")

45 Please set the Foot Platform Length at: _____ "
 *Only available for approval with power ELR's (MWP)
 Note 40 The power center mount counts as one power function
 Note 41 This option includes calf pads
 Note 42 Links and attaches the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB) to the seat
 Note 43 With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate.
 Note 44 Please select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB)
 Note 45 The Foot Platform length is taken from the top of the seat pan to the top of the foot platform or split footplates.
 Note 46 Center Mount Front Riggings are not available with the Straight Front Arm option due to Mechanical conflicts
 Note 47 This option is not compatible with the 9" Caster option

▼ FOOT PLATFORMS & ACCESSORIES

<input type="checkbox"/> SOFUFP	Flip-up one piece Foot Platform	
<input type="checkbox"/> SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount - Each	J
<input type="checkbox"/> SOACPCM	Calf Pads for 90° Fixed Center Mount (SOAAF90) with adjustable hardware - Each	See Dealer

▼ SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19 ----- ISO OPTION)

- SOAUTO80 80" Seat Positioning Strap

▼ HEADREST

- Whitmyer P1L Linx Headrest
 M2300 Bracket
 SOHRSB Bracket to Mount Seat Frame Crossbar
 SOHRPR Bracket to Mount on the Seat Frame (**For Reclining Backs**)

* Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed

▼ LATERAL TRUNK SUPPORTS

- SOSLS3-C Adjustable Laterals with Small Curved Pads (Each) - 3" x 5" See Dealer
 SOSLM-C Adjustable Laterals with Medium Curved Pads (Each) - 4" x 6" See Dealer
 SOSLL5-C Adjustable Laterals with Large Curved Pads (Each) - 5" x 7" See Dealer

▼ HIP & THIGH SUPPORTS

- SOHTSS10 Adjustable Hip & Thigh Support Pads (Each) - Small 10" x 4" See Dealer
 SOHTSM12 Adjustable Hip & Thigh Support Pads (Each) - Medium 12" x 5" See Dealer
 SOHTSL14 Adjustable Hip & Thigh Support Pads (Each) - Large 14" x 6" See Dealer
 SOHTSARH Adjustable and Removable Hip & Thigh Support Hardware - Each See Dealer

** Please select one of the hip & thigh support pads and the adjustable & removable hardware.

▼ ACCESSORIES

- SOCH Cup Holder (Self-Leveling) See Dealer
 SOCPH Ram Mounts X-Grip Cell Phone Holder See Dealer
 SOTHS Ram Mounts X-Grip Small Tablet Holder See Dealer
 SOTHL Ram Mounts X-Grip Large Tablet Holder with Swivel See Dealer

▼ REFLECTOR KIT

- REFLECT Red & White Reflector Kit Stickers (They will not be installed - Included in a bag with the owner's manual) See Dealer

▼ SPECIALTY DRIVER CONTROL OPTIONS

▼ Therafin Sip n' Puff Kit

<input type="checkbox"/>	SCSNPK	48, 49	Therafin Sip n' Puff Kit			J
<input type="checkbox"/>	SCSNPBTk	49	Therafin Sip n' Puff Breath Tube Kit			J
<input type="checkbox"/>	SCSRMSNP	49	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	J
<input type="checkbox"/>	SCSRM	49	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	J
<input type="checkbox"/>	SSES-STD	49, 51	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	J
<input type="checkbox"/>	SSBS-STD	49	Buddy Button Switch (Stop Switch) - Red			J
<input type="checkbox"/>	SOMAH	49	Multi-axis Headrest Removable Mounting Hardware			J
<input type="checkbox"/>	SOFHRS	50	Small Curved Headrest Pad 4" x 9"			J
<input type="checkbox"/>	SOFHRM	50	Medium Curved Headrest Pad 5" x 10"			J
<input type="checkbox"/>	SOFHRL	50	Large Curved Headrest Pad 6" x 11"			J

▼ Switch-It Proximity Head Array

<input type="checkbox"/>	SCSIHAA	48, 49	Adult - 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse			See Dealer
<input type="checkbox"/>	SCSRM	49	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	See Dealer
<input type="checkbox"/>	SSES-STD	49, 51	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	SSBS-STD	49	Buddy Button Switch (Stop Switch) - Red			See Dealer
<input type="checkbox"/>	SOMAH	49	Multi-axis Headrest Removable Mounting Hardware			See Dealer

▼ Proportional RIM Head Control Package

<input type="checkbox"/>	SCPHC	48, 49	Proportional RIM Head Control Package			J
<input type="checkbox"/>	SCSRM	49	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	J
<input type="checkbox"/>	SSES-STD	49, 51	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	J
<input type="checkbox"/>	SOMAH	49	Multi-axis Headrest Removable Mounting Hardware			J

▼ Switch-It MicroPilot Light Touch Proportional Mini joystick for chin / lip control

<input type="checkbox"/>	SCSIMP	48, 49	MicroPilot Light touch mini Proportional Joystick			See Dealer
<input type="checkbox"/>	SCSRMMP	49	Stealth Rock-n-Lock Swingaway Arm for Chin MP	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	See Dealer
<input type="checkbox"/>	SCSRM	49	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	<input type="checkbox"/> SWL (Swings on Left)	<input type="checkbox"/> SWR (Swings on Right)	See Dealer
<input type="checkbox"/>	SSES-STD	49, 51	Egg Switch for Changing Modes - Black	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	JCC		Chin Cup			See Dealer
<input type="checkbox"/>	SOMAH	49	Multi-axis Headrest Removable Mounting Hardware			See Dealer
<input type="checkbox"/>	SOFHRS	50	Small Curved Headrest Pad 4" x 9"			See Dealer
<input type="checkbox"/>	SOFHRM	50	Medium Curved Headrest Pad 5" x 10"			See Dealer
<input type="checkbox"/>	SOFHRL	50	Large Curved Headrest Pad 6" x 11"			See Dealer

▼ Proportional Compact or Mini joystick for Midline Mount

<input type="checkbox"/>	SCPGMJS	48, 49	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			See Dealer
<input type="checkbox"/>	SCGMJSM	52	Gatlin Midline Swing-away Mount for JC200	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	SCSIMP	48, 49	Switch-It MicroPilot Light touch mini Proportional Joystick			See Dealer
<input type="checkbox"/>	SCGMPPM	53	Gatlin Midline Swing-away Mount for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	SCBTM	54	Bullet Hand Tray for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer

▼ Proportional Compact or Mini joystick for Armrest Mount

<input type="checkbox"/>	SCPGMJS	48, 49	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			See Dealer
<input type="checkbox"/>	SCARMJSM	52	Swing-away and Multi-Axis armrest mount	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	SCSIMP	48, 49	Switch-It MicroPilot Light touch mini Proportional Joystick			See Dealer
<input type="checkbox"/>	SCARMPM	53	Swing-away and Multi-Axis armrest mount	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer
<input type="checkbox"/>	SCBTM	54	Bullet Hand Tray for MicroPilot	<input type="checkbox"/> MLH (Mount on Left)	<input type="checkbox"/> MRH (Mount on Right)	See Dealer

- Note 48** Requires the OMNI Enhanced Display and Digital Interface Box (EDIB)
- Note 49** This option must be selected for the kit
- Note 50** Choose one (1) Headrest Pad
- Note 51** The mode switch type can be changed from this selection on Page #6
- Note 52** Must be selected for use with the PG Drives JC200 Mini Joystick
- Note 53** Must be selected for use with the Switch-It MicroPilot
- Note 54** This option is only compatible with the Switch-It MicroPilot

▼ CUSTOM SECTION

Note 55 Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.



▼ NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS
