



Zippie IRIS
December 2020
 EIZ5A



Date: _____ Dealer Acct #: _____ Dealer: _____ Dealer Contact: _____ Dealer Address: _____ Dealer City: _____ PV: _____ PC: _____ Dealer Phone: () _____ Fax: () _____ Confirm Via: <input type="checkbox"/> Fax <input type="checkbox"/> E-Mail Mark For: _____	SUBMITTING FOR: <input type="checkbox"/> Quote <input type="checkbox"/> Order PO#: _____ Ship To: _____ Attention: _____ Address: _____ Address: _____ Ship To City: _____ PV: _____ PC: _____ Ship To Phone: () _____ Fax: () _____
--	--

✓	Option #	Definition	Price	✓	Option #	Definition	Price
---	----------	------------	-------	---	----------	------------	-------

1. FRAME							
-----------------	--	--	--	--	--	--	--

NEW!	Base Model	
------	-------------------	--

*Maximum user weight is 225 lbs.
 Maximum weight capacity for Z-Finity footrests is 165 lbs.*

<input type="checkbox"/>	188WM48	Zippie IRIS Transit <u>Included</u> Includes True Fit Growth	
--------------------------	---------	---	--

Tilt Release Options	
-----------------------------	--

<input type="checkbox"/>	188TT12	Dual Trigger Cable Release	
--------------------------	---------	----------------------------	--

Pre-Set Tilt Angle (55° range) (Default in Bold, NA w/ reclining back)	
---	--

<input type="checkbox"/>	188TA5	-5° to 50° <i>Not available with 12.5" STFH</i>	
<input type="checkbox"/>	188TA6	0° to 55°	
<input type="checkbox"/>	188TA7	+5° to 60°	

Frame Struts (Rigid Frames Only)	
---	--

<input type="checkbox"/>	188GY01	Fixed Struts Growth thru kits NA W/ Folding Frame	
<input type="checkbox"/>	188GY02	Width Adjusting System Built in growth of 2" NA w/ Mono Back or Folding	

Frame Options	
----------------------	--

<input type="checkbox"/>	188FT46	Contracture Seat Frame NA w/10" Frame Depth or Folding Frame	J
--------------------------	---------	---	---

2. SIZE / SEATING							
--------------------------	--	--	--	--	--	--	--

Frame Width (Custom set-up on 17" & 18" folding frame thru B4Me)	
---	--

<input type="checkbox"/>	188W1	10" - NA w/ Mono Backrest	
<input type="checkbox"/>	188W2	11" - NA w/ Mono Backrest	
<input type="checkbox"/>	188W3	12"	
<input type="checkbox"/>	188W4	13"	
<input type="checkbox"/>	188W5	14"	
<input type="checkbox"/>	188W6	15"	
<input type="checkbox"/>	188W7	16" - Folding Frame Grows to 18"	
<input type="checkbox"/>	188W8	17" - Folding Frame Grows to 18"	
<input type="checkbox"/>	188W9	18" - No Growth w/ Folding Frame	

UPDATED	Seats	
---------	--------------	--

<input type="checkbox"/>	188ST35	Seat Pan-Growable <i>Some limits may exist. See Page 9 for matrix of offerings</i>	
<input type="checkbox"/>	188ST36	Drop Seat Pan	See Dealer
<input type="checkbox"/>	188ST54	Omit Seat Pan	

Mark For:

✓	Option #	Definition	Price	✓	Option #	Definition	Price
---	----------	------------	-------	---	----------	------------	-------

2. SIZE / SEATING CONT.

Frame Depth

(Choose Selections from A OR B)


Selection A: Frame Depth Set up By Zippie

Desired Seat Depth

- 10" 11" 12" 13" 14"
 15" 16" 17" 18"

Back Type


- 3" 2" 1"
 Flush -1" -2"



This section determines frame length

Top of Cushion to Seat Rail

- 2 1/2" or Greater
 Less than 2 1/2" (STD)
 Below Seat Rail



Selection B: Frame Depth Range

- | | | |
|--------------------------|---------|---------------------------|
| <input type="checkbox"/> | 188SN01 | Short Seat Frame 10"-14" |
| <input type="checkbox"/> | 188SN02 | Medium Seat Frame 12"-16" |
| <input type="checkbox"/> | 188SN03 | Long Seat Frame 14"-18" |


Selection B: Frame Depth

- | | | |
|--------------------------|--------|---|
| <input type="checkbox"/> | 188FD1 | 10" rec. w/ Short Seat Frame
NA with Contracture Footrest System |
| <input type="checkbox"/> | 188FD2 | 11" rec. w/ Short Seat Frame |
| <input type="checkbox"/> | 188FD3 | 12" rec. w/ Short Seat Frame |
| <input type="checkbox"/> | 188FD4 | 13" rec. w/ Med. Seat Frame |
| <input type="checkbox"/> | 188FD5 | 14" rec. w/ Med. Seat Frame |
| <input type="checkbox"/> | 188FD6 | 15" rec. w/ Med. Seat Frame |
| <input type="checkbox"/> | 188FD7 | 16" rec. w/ Long Seat Frame |
| <input type="checkbox"/> | 188FD8 | 17" rec. w/ Long Seat Frame |
| <input type="checkbox"/> | 188FD9 | 18" rec. w/ Long Seat Frame |

Select from A OR B

3. CASTERS / SEAT HEIGHT

Caster Wheel



- | | | |
|--------------------------|---------|--------------------------|
| <input type="checkbox"/> | 188CW34 | 6" Polyurethane |
| <input type="checkbox"/> | 188CW35 | 6" x 1.5" Semi-Pneumatic |
| <input type="checkbox"/> | 188CW32 | 8" Polyurethane |
| <input type="checkbox"/> | 188CW39 | 8" x 1.5" Semi-Pneumatic |

Please call customer service for 13.25 on a 12" RW and 4" Caster (Rigid only)

Rear Wheel Size	CASTER SIZE		
	<input type="checkbox"/> 6	<input type="checkbox"/> 8x1	<input type="checkbox"/> 8x1.5
<input type="checkbox"/> 12 Low Poly	<input type="checkbox"/> 15.0		
	<input type="checkbox"/> 15.5		
	<input type="checkbox"/> 16.0		
<input type="checkbox"/> 22		<input type="checkbox"/> 16.5	<input type="checkbox"/> 16.5
	<input type="checkbox"/> 16.5		<input type="checkbox"/> 16.5
	<input type="checkbox"/> 17.0	<input type="checkbox"/> 17.0	<input type="checkbox"/> 17.0
	<input type="checkbox"/> 17.5	<input type="checkbox"/> 17.5	<input type="checkbox"/> 17.5
<input type="checkbox"/> 24	<input type="checkbox"/> 18.0	<input type="checkbox"/> 18.0	<input type="checkbox"/> 18.0
		<input type="checkbox"/> 17.0	<input type="checkbox"/> 17.5
	<input type="checkbox"/> 17.5	<input type="checkbox"/> 18.0	<input type="checkbox"/> 18.0
	<input type="checkbox"/> 18.0	<input type="checkbox"/> 18.5	<input type="checkbox"/> 18.5
	<input type="checkbox"/> 18.5	<input type="checkbox"/> 19.0	<input type="checkbox"/> 19.0
NA with Folding			

Mark For:

✓	Option #	Definition	Price	✓	Option #	Definition	Price
---	----------	------------	-------	---	----------	------------	-------

4. REAR WHEELS / SEAT HEIGHT

One Arm Drive

Only available with 6 spoke Mag wheels. One Arm Drive NA with folding frame

<input type="checkbox"/>	188AL17	One Arm Drive <i>Avail. w/ 20", 22", 24" Mag Rear Wheels</i>	See Dealer
<input type="checkbox"/>	188OA2	Standard Handrim	
<input type="checkbox"/>	188HM1	<i>Right</i>	
<input type="checkbox"/>	188HM2	<i>Left</i>	
<input type="checkbox"/>	188OA1	Small Handrim	
<input type="checkbox"/>	188HM1	<i>Right</i>	
<input type="checkbox"/>	188HM2	<i>Left</i>	

Axle

<input type="checkbox"/>	188AX26	One Arm Drive Axle <i>Only avail. w/One Arm Drive Option</i>	See Dealer
<input type="checkbox"/>	188AX1	Quick Release	
<input type="checkbox"/>	188AX11	Quad Quick Release <i>NA with Lite Spokes</i>	See Dealer

Rear Wheel Size

12"-16" NA w/handrims. 12" w/attendant wheel lock NA w/ +5 - 60° tilt angle.

<input type="checkbox"/>	188RW13	12" Mag - NA with handrims	
<input type="checkbox"/>	188RW8	22" Mag	
<input type="checkbox"/>	188RW1	24" Mag	

Rear Tire & Wheel Matrix

Tire	Rear Wheel		
	5 Spoke Mag	Spoke	Mag Wheel
Pneumatic	20,22,24	24	12,16,20,22,24
Pneumatic w/ Airless Insert	20,22,24	24	12,16,20,22,24
Full Poly	20,22,24	24	20,22,24
Low Poly	NA	NA	12

12" = 203mm 16" = 305mm 20" = 451mm 22" = 501mm 24" = 540mm

Rear Wheel Tire

<input type="checkbox"/>	188RT3	Full Polyurethane <i>NA w/ 12" & 16" rear wheels</i>	
<input type="checkbox"/>	188RT4	Low Polyurethane <i>Only Available with 12" wheels</i>	

Handrim

12" and 16" wheels not available with hand rims. See matrix for availability

<input type="checkbox"/>	188HR1	Aluminum Anodized	
<input type="checkbox"/>	188HR4	Plastic Coated	See Dealer
<input type="checkbox"/>	188HR7	Omit <i>NA with wheel/axle credit</i>	

Projections (Not Available on Plastic Coated)

Only available with 24" Mag wheels & not available with spoke guards.

<input type="checkbox"/>	188HR8	8 Oblique	See Dealer
--------------------------	--------	-----------	------------

Rear Wheel & Handrim Matrix

Handrim	Rear Wheel		
	5 Spoke Mag	Spoke	Mag Wheel
Aluminum Anodized	20,22,24	24	20,22,24
Plastic Coat	20,22,24	24	20,22,24
Projection 8 Oblique	NA	NA	24

5. WHEEL LOCKS / HUB LOCK

Wheel Lock

Not available with Hub Lock

<input type="checkbox"/>	188WL34	High Mount Push	
<input type="checkbox"/>	188WL36	Foot Lock <i>NA w/ One Arm Drive, Folding frame defaults to left side, may limit folded width</i> <i>*Only available with 12" rear wheels</i>	
<input type="checkbox"/>	188WL10	Omit	

Extension Handle

<input type="checkbox"/>	188EH1	6" Pair	
--------------------------	--------	---------	--

6. HEADRESTS

Headrest & Bracket

<input type="checkbox"/>	M2300 Bracket	
<input type="checkbox"/>	Linx P1L Headrest	

Mark For:

✓	Option #	Definition	Price	✓	Option #	Definition	Price
---	----------	------------	-------	---	----------	------------	-------

7. FOOTRESTS

Hanger Mounted Footrest (Footplates Mount to Hanger Tubing)

Hanger Type (See Matrix on Page 9 for Lower Leg Length ranges)

<input type="checkbox"/>	188H140	70° Swing In/Out Front Mount	
<input type="checkbox"/>	188H142	80° Swing In/Out Front Mount	
<input type="checkbox"/>	188H158	90° Swing In/Out Front Mount	
<input type="checkbox"/>	188H9	70° Heavy Duty Front Mount Lift-Off	
<input type="checkbox"/>	188H10	80° Heavy Duty Front Mount Lift-Off	
<input type="checkbox"/>	188H11	90° Heavy Duty Front Mount Lift-Off	
<input type="checkbox"/>	188H161	Elev.Fnt Mount - NA 10-11" wide	

Extensions (may interfere with some seat heights & casters)



<input type="checkbox"/>	188E23	2" - not mounted	
<input type="checkbox"/>	188E24	4" - not mounted	

Footplate

<input type="checkbox"/>	188F9	Kids Angle Adjustable NA with 17"-18" widths	
<input type="checkbox"/>	188F8	Adult Angle Adj. Available with 10"-18" widths	
<input type="checkbox"/>	188F62	Footboard Available with 10"-16" widths	See Dealer

Footrest Hanger Options

<input type="checkbox"/>	188IG2	Neoprene Covers Only available for ext. mount hangers	See Dealer
<input type="checkbox"/>	188HL1	Heel Loops NA with Z-Finity 10"-14" widths	
<input type="checkbox"/>	188HL5	Leg Strap	
<input type="checkbox"/>	188A54	Extra Single Leg Strap	See Dealer
<input type="checkbox"/>	188A110	Toe Loop Only avail. w/ adult ang adj. footplates, NA with Z-Finity footrest	See Dealer
<input type="checkbox"/>	188H32	Omit Hanger	
<input type="checkbox"/>	188F7	Omit Footplate and Ext. Tube	



NEW! **Hanger Mounts**

1" Offset NA with -5-50° and -5-35° preset tilt angle and possible interference with 80° & 90° hangers

<input type="checkbox"/>	188MZ02	Standard Hanger Mount	
<input type="checkbox"/>	188MZ01	1" Offset Hanger Mount	

NEW! **Articulating/Elevating Hanger Cover**

<input type="checkbox"/>	188DI47	Neoprene Cover	See Dealer
<input type="checkbox"/>	188DI48	Gel Pad Cover	See Dealer

Mark For:

✓	Option #	Definition	Price	✓	Option #	Definition	Price
---	----------	------------	-------	---	----------	------------	-------

7. FOOTRESTS CONT. (See Appendix for matrix)

Contracture Footrest System (CFS)

NA w/ Neoprene Impact Guards, Kids Angle Adj. Aluminum Footrests, Dual Post Armrest or Folding Frame.

<input type="checkbox"/>	188H26	Contracture Footrest System	J
<input type="checkbox"/>	188FP01	CFS - Center Mount	J
<input type="checkbox"/>	188FP02	CFS - Outside Mount	J
<input type="checkbox"/>	188E1	SHORT	J
<input type="checkbox"/>	188EP1	10.5" Extension Height	J
<input type="checkbox"/>	188EP2	11.0" Extension Height	J
<input type="checkbox"/>	188EP3	11.5" Extension Height	J
<input type="checkbox"/>	188EP4	12.0" Extension Height	J
<input type="checkbox"/>	188EP5	12.5" Extension Height	J
<input type="checkbox"/>	188EP6	13.0" Extension Height	J

<input type="checkbox"/>	188E2	REGULAR	J
<input type="checkbox"/>	188EP5	12.5" Extension Height	J
<input type="checkbox"/>	188EP6	13.0" Extension Height	J
<input type="checkbox"/>	188EP7	13.5" Extension Height	J
<input type="checkbox"/>	188EP8	14.0" Extension Height	J
<input type="checkbox"/>	188EP9	14.5" Extension Height	J
<input type="checkbox"/>	188EP10	15.0" Extension Height	J

8. BACKREST / SEATING

DYNAMIC BACKREST

<input type="checkbox"/>	188BT101	Dynamic Backrest <i>NA w/ Reclining or Folding Frame. NA in some configurations.</i>	See Dealer
--------------------------	----------	---	------------

STROLLER HANDLE BACK POSTS - BACK RESTS (Choose A, B, C or D)

A. Fixed Height

<input type="checkbox"/>	188BP9	Low (19" Ht)	A
<input type="checkbox"/>	188BP10	Medium (22" Ht)	
<input type="checkbox"/>	188BP11	Tall (25" Ht)	
<input type="checkbox"/>	188BP13	Removable Extension	
<input type="checkbox"/>	188RG1	Folding Adjustable Rigidizer <i>NA w/ Mono Back</i>	

OR

B Height Adjustable

Rigid Back w/ Angle Adjust Push Handle

<input type="checkbox"/>	188B170	Std. (16"-22" Height.)	B
<input type="checkbox"/>	188PH8	Std. Angle Adj. Push Handle Lgth	
<input type="checkbox"/>	188PH9	Long Angle Adj. Push Handle Length	
<input type="checkbox"/>	188B171	Tall (19"-25" Height.)	
<input type="checkbox"/>	188PH8	Std. Angle Adj. Push Handle Lgth	
<input type="checkbox"/>	188PH9	Long Angle Adj. Push Handle Length	


OR

OR

D. Reclining Backrest

Only available with 40° Tilt Range. NA w/Folding Frame

<input type="checkbox"/>	188BT21	Reclining Backrest	J	C
	<input type="checkbox"/>	188B172 Medium (21" Height)	J	
	<input type="checkbox"/>	188B173 Tall (24" Height)	J	
NEW!	<input type="checkbox"/>	188BP64 Angle Adj stroller handles <i>Height adj range 19"- 23" NA on 10" widths w/Dual Trigger tilt release</i>	J	
	<input type="checkbox"/>	188PH8 Standard push handle	J	
	<input type="checkbox"/>	188PH9 Long push handle	J	



Mark For:

✓	Option #	Definition	Price	✓	Option #	Definition	Price
---	----------	------------	-------	---	----------	------------	-------

9. ARMRESTS / SIDE GUARDS

Armrest - Height Adjustable

Dual Post not available with 0 - 13" deep or with 14 - 15" deep seat pan, Dual Post also not available with contracture Footrest. Some interference may exist in some configurations.



<input type="checkbox"/>	188AA43	Dual Post Flip Back	
<input type="checkbox"/>	188AA48	Dual Post Flip Back Height Adj.	
<input type="checkbox"/>	188AA11	Single-Post Height Adj. Std.	
<input type="checkbox"/>	188AA29	Single-Post Height Adj. Low	



NEW!

Armpad

Contour & Ergo only w/ Single Post Height Adj. - Foam only Length Adj.

<input type="checkbox"/>	188AM23	Desk Classic	
<input type="checkbox"/>	188AM21	Desk Contour	
<input type="checkbox"/>	188AM24	Full Classic	
<input type="checkbox"/>	188AM22	Full Contour	



Side Guard

Not available with height adjustable armrests, T Posts or Cantilever armrests. NA with Mono Back.

<input type="checkbox"/>	188SG33	Plastic Std	See Dealer
<input type="checkbox"/>	188SG29	Plastic Low	See Dealer

Armrest Receiver for Single Post Height Adjustable Armrest

<input type="checkbox"/>	188AR17	Low	
<input type="checkbox"/>	188AR18	Std	

Armrest Matrix for Single Post					
Armrest Size	Transfer Tube Length D	Receiver	Classic Pad		
			H Range	Pad length L	
				Desk	Full
Std	8"	Std	10-3/4" to 15-3/4"	10-1/4"	14"
		Low	8-3/4" to 13-3/4"		
Low	5-1/4"	Std	9" to 13"	10-1/4"	14"
		Low	7-1/4" to 11-1/4"		
		Contour Pad			
		Receiver	H Range	Pad length L	
				Desk	Full
		Std	10" to 15"	10-1/2"	14-1/4"
		Low	8-1/4" to 13-1/4"		
		Std	8-1/2" to 12-1/2"	10-1/2"	14-1/4"
		Low	6-3/4" to 10-3/4"		
		Ergo Pad			
		Receiver	H Range	Pad length L	
				11-3/4"	
Std	10-1/2" to 15-1/2"	11-3/4"			
Low	8-3/4" to 13-3/4"				
Std	9" to 13"				
Low	7-1/4" to 11-1/4"				

Mark For:

✓	Option #	Definition	Price	✓	Option #	Definition	Price
---	----------	------------	-------	---	----------	------------	-------

10. ACCESSORIES

Positioning Belt (w/clamps)

<input type="checkbox"/>	188A141	1.5" Auto Buckle Universal w/Clamp	
--------------------------	---------	------------------------------------	--

Vertical Mount Vent Tray-Back cane Mount

<input type="checkbox"/>	188LF12	Dovetail Vertical Frame Mounted Hardware for LTV Vent (limit 15 lbs.) includes 1 Utility Hook. - <i>Must remove for folding.</i>	See Dealer
<input type="checkbox"/>	188LF13	Dovetail Vertical Frame Mt Hardware for Trilogy Vent (limit 15 lbs.) includes 1 Utility Hook - <i>Must remove for folding.</i>	See Dealer
<input type="checkbox"/>	188LF7	Utility Hook	See Dealer

Spoke Guard

Not available with 12" & 16" rear wheels & Projections Handrims

<input type="checkbox"/>	188A23	Black	See Dealer
<input type="checkbox"/>	188A303	Clear Zippie	See Dealer

Anti-Tip

<input type="checkbox"/>	188AT1	Rear Anti-Tip	
--------------------------	--------	---------------	--

11. FRAME COLOR

Standard Colors

<input type="checkbox"/>	188C2	Black - NA as base with Zebra	
--------------------------	-------	-------------------------------	--

Mark For:


Option #	Definition	Price	Option #	Definition	Price
----------	------------	-------	----------	------------	-------

APPENDIX


Z-Finity Matrix

Growing Seat Pan Matrix - Rigid and Folding Frame Options

Direct Hanger Mount




Extension Tube Mount



Rigid Frame - Frame Depth Growth Range Matrix

Seat Pan Size	Dim A Range
10" - 16"	11-1/4" - 15-1/4"
14" - 18"	15" - 19"



Direct Hanger Mounted


Extension Tube Mounted

Footrest Adaptor	Hanger Mounting Position	Min	Max
Short	High Mount	-0.9	3.4
	Low Mount	2.6	6.7
Long	High Mount	-2.1	4.6
	Low Mount	1.3	7.9

Footrest Adaptor	Extension Tube Length	Min	Max
Short	Hemi Short	3.9	12.4
	Short	4.9	13.4
	Medium	6.6	15.4
Long	Long	8.6	17.4
	Hemi Short	2.6	13.6
	Short	4.1	14.6
Long	Medium	5.6	16.6
	Long	7.6	18.6


Folding Frame - Frame Depth Growth Range Matrix

Seat Depth Pan Size	Seat Depth										L Range		
	10	11	12	13	14	15	16	17	18	19	20	Min	Max
Short	x	x	x	x	x							10	14
Medium					x	x						11.75	16 1/4
Long							x	x				13.75	18 1/4
X-Long									x	x	x	15.75	20.25



Lower Leg Length Matrix

Hanger	Extension	Seat Pan to Top of Footrest		Min Allowable FSH
		Min	Max	
70° Front Mount	No Ext	3 1/2	9	11 1/2
	2"	3 1/2	11 1/2	13 1/2
	4"	3 1/2	13 1/2	15 1/2
80° Front Mount	No Ext	3 1/2	9 1/2	11 1/2
	2"	3 1/2	12	14
	4"	3 1/2	14	16
90° Front Mount	No Ext	3	9	11 1/2
ELR Front Mount	No Ext	3	7	10 1/2
60° Swing In/Out	Short	9	12 1/2	12 1/2
	Med	9	14 1/2	12 1/2
	Long	11 1/2	16	14 1/2
70° Swing In/Out	Short	10 1/2	15 1/2	12 1/2
	Med	10 1/2	17 1/2	13
	Long	13 1/2	19	15
80° Swing In/Out	Short	11	14 1/2	13
	Med	11	16 1/2	13
	Long	13	18	15
ALR	Short	14	17 1/2	12 1/2
	Med	15	19 1/2	13 1/2
	Long	16 1/2	19	14 1/2
ELR Ext. Mount	Short	13	17	12 1/2
	Medium	13	18 1/2	13 1/2
	Long	14 1/2	20	14 1/2



Additional Options Through Built for Me

To inquire about any unique customization for Quickie products, contact: Phone: (800) 263-3390, Fax: (800) 561-5834



- Commonly Requested Options Include:**
- ✓ Reverse Configuration
 - ✓ Angle Adjustable Handle for Reclining Backrest
 - ✓ Dual Mount Wheel Locks - Attendant Foot Lock
 - ✓ Dynamic Back on Frame Depth up to 20"
 - ✓ O2 Holder with Transit
 - ✓ IV Pole with Transit
 - ✓ Solid Seat w/ Quick Release Hardware for folding frame

