

EIPW23





▼ ACCOUNT INFORMATION				
Dealer Contact Name:		P.O. # or Quote:		
E-mail Address:				
Phone Number:	Fax Number:	User Name or Number:		
Bill to (Name):		User Weight:		
Bill to (Location):		User Height:		
Ship to (Name):		Seat Cushion Thickness:		
Address:		Knee to Heel Length: Left:	Right:	
City:				
Province:	Postal Code:			

The order cannot be processed without the following:

A user name or number, the client's measurements and weight
 Sunrise Medical is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
 Order confirmations will be provided by Sunrise Medical summarizing the items selected. Please review this carefully.
 Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

### STANDARD OPTIONS

Zippie Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 6" front casters on MWD or 8" on RWD, and standard auto style buckle seat positioning strap, 6.5 mph motors.

► (MID-WHEEL CONFIGUE	ATION) ZIPPIE XPERIENCE 2 POWER WHEELCHAIR	
XPERPED2	ZIPPIE XPERIENCE 2 PED Power Wheelchair	
▼ USER WEIGHT PACI	AGES	
U WCA3	300 lbs. Maximum user weight capacity	
▼ STANDARD FRAME	COLORS	
FCBLK	Black	
TRANSPORT OPTIO		

	TTD4	2	4-Point wheelchair transport brackets	
		Note 2	4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval. Use these transport brackets only to secure an unoccupied wheelchair during transport.	
	MOTOR PACKAGE			
V.	MOTORTACKAGE			
	MP65		6.5 MPH 4-Pole Motor Package / with COG Release	
$\mathbf{\nabla}$	ASSISTIVE DRIVIN	IG PACKAG	E	
	INTELLIDR	3, 4		See Dealer
		Note 3	Intelli-Drive technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those with marginal hand function or switch contro	d.
		Note 4	Requires the R-net PM 120 Amp Expandable Controller (ECR120)	

BCOB							
	8A Offboard Batte	ry Charger					
BATTERY T	RAY AND FRAM	E SIZE					
FS22B	Battery Tray for G	roup 22NF Batteries (Total frame width	= 23 3/8")				
FS2424B		Tray for Group 24 Batteries with a Com		e Configuration only)	- Otra		
Please Se	Note 5	ne Hybrid RWD configuration:     Flar The 23 3/8" compact frame is not compa	tible with most of the Centermount Front	Rigging Options due to Mech		ght (Optional) <b>s</b> .	
	Note 6		ating & Articulating Foot Platform (ADDPF				
	Note 7	The Straight Front Arm option is not ava	ilable with any of the Centermount Front	Rigging Options due to Mech	nanical conflicts	S.	
<b>BATTERIES</b>	8						
BAT22NFPR		GEL Batteries – Group 22NF – (Pair					
BAT24PR		GEL Batteries – Group 24 – (Pair - c	n chair)				
7 CHOOSE T	IRE COLOR (APP	LIES TO ALL TIRES OR CASTER	RS)				
		GREY					
<b>DRIVE WHE</b>	EEL						
DW14PT		14" Cast Wheel Pneumatic Tire					See Dea
DW14PI		14" Cast Wheel Pneumatic with Flat	-Free inserts				000 000
DW144PT		14" x 4" Extra Wide Cast Wheel Pre					See Dea
3 DW144PI 3 DW12PT		14" x 4" Extra Wide Cast Wheel Pne 12 1/2" Cast Wheel Pneumatic Tire	umatic with Flat-Free inserts				See Dea See Dea
DW12PI		12 1/2" Cast Wheel Pneumatic with F	lat-Free inserts				See Dea
	Note 8	The 14" x 4" Extra Wide Wheel increases					
		The 14" x 4" option is not available with	rroud colour (FCM) is not available with the VR2 electronics (ECV902A)	n the 14" x 4" Extra wide whe	eels.		
	Note 9		o floor height by ¾", lowers ground clear	ance and speed, but increase	es motor torque	3	
FRONT CAS	STERS (Mid Whe	el Configuration)					
		i i					0 D
FC6S FC8PTM		6" Solid Casters 8" Pneumatic Casters					See Dea See Dea
FC8PIM		8" Pneumatic Casters with Flat-Free					
	Note 10	The 8" casters are NOT compatible with	the 12 1/2" Drive Wheel configuration (DV	V12PT and DW12PI)			
FRONT CAS	STERS (Rear-Wh	eel Hybrid Configuration)					
□ FC8PTR		8" Pneumatic Casters					See Deal
□ FC8PIR		8" Pneumatic Casters with Flat-Free		Undra Cranbias Frama Co	alar antian		
		8" Pneumatic Casters with Flat-Free	tion is included at no charge with the	Hydro Graphics Frame Co	olor option.		See Dea
FC8PIR     FC9PT	Note 11	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimum	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT	compatible with the 12 1/2" D	rive wheel cont	figuration (DW12PT and DW12PI)	See Dea
□ FC8PIR □ FC9PT □ FC9PI		8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This of 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d	compatible with the 12 1/2" D	rive wheel cont	figuration (DW12PT and DW12PI)	See Dea
□ FC8PIR □ FC9PT □ FC9PI		8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimum	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d	compatible with the 12 1/2" D	rive wheel cont	figuration (DW12PT and DW12PI)	See Dea
□ FC8PIR □ FC9PT □ FC9PI	LOOR HEIGHT (A	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This of 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d	compatible with the 12 1/2" D	rive wheel cont	figuration (DW12PT and DW12PI)	See Dea
	LOOR HEIGHT (A Seat Only	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with pproximate measurement to the top of s	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan $\pm \%$ ")	compatible with the 12 1/2" D	rive wheel con tions	- · · ·	See Deal See Deal
	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with pproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ¼" (Possible Seat angle	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925	compatible with the 12 ½" Di etails in the front rigging sec 13 13	rive wheel cont tions <u>18 ¼"</u> 19 ¼"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°)	See Dea
	LOOR HEIGHT (A Seat Only 12, 13, 15	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This of 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with pproximate measurement to the top of s 15 1/2" (Possible Seat angle	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") □ STFH1825	compatible with the 12 ½" Di etails in the front rigging sec	rive wheel com tions	(Possible Seat angle of $0^{\circ}$ and $3^{\circ}$ )	See Dea
	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This of 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimum The 9" casters are NOT compatible with pproximate measurement to the top of s 15 1/2" (Possible Seat angle 16 1/4" (Possible Seat angle 17 1/4" (Possible Seat angle	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925	compatible with the 12 ½" Di etails in the front rigging sec 13 13	rive wheel cont tions <u>18 ¼"</u> 19 ¼"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°)	See Dea
	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 Power Tilt or a STD	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with pproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925 STFH2025	compatible with the 12 1/4" D etails in the front rigging sec 13 13 13	Tive wheel continues           18 ¼"           19 ¼"           20 ¼"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°)	See Dea
	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 Power Tilt or a STD 12, 14, 15	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with oproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ¼" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925 STFH2025 STFH1775	compatible with the 12 1/2" Di etails in the front rigging sec 13 13 13 13	18 ½" 19 ½" 20 ½" 17 ¾"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only)	See Dea
	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 Power Tilt or a STD	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with pproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925 STFH2025	compatible with the 12 1/4" D etails in the front rigging sec 13 13 13	Tive wheel continues           18 ¼"           19 ¼"           20 ¼"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°)	See Dea
<ul> <li>FC3PIR</li> <li>FC3PT</li> <li>FC3PT</li> <li>FC3PI</li> <li>SEAT TO FI</li> <li>Options for a</li> <li>STFH155</li> <li>STFH1625</li> <li>STFH1725</li> <li>Options for a</li> <li>STFH155</li> <li>STFH155</li> <li>STFH155</li> </ul>	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 9 ower Tilt or a STD 12, 14, 15 14, 15	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with pproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle 15 ½" (Possible Seat angle 15 ½" (Possible Seat angle	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925 STFH2025 STFH1775 STFH1825	compatible with the 12 1/2" Di etails in the front rigging sec 13 13 13 13 13 13	18 ¼" 18 ¼" 19 ¼" 20 ¼" 17 ¾" 17 ¾"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only)	See Dea
□ FC8PIR           □ FC9PT           □ FC9PI           ▼ FC9PI           ▼ SEAT TO FI           ▶ Options for a           □ STFH155           □ STFH1625           □ STFH1725           ▶ Options for a           □ STFH155           □ STFH1725           ▶ Options for a           □ STFH155           □ STFH155           □ STFH155           □ STFH155           □ STFH155	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 13, 15 Power Tilt or a STD 12, 14, 15 14, 15 14	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with pproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle 15 ½" (Possible Seat angle 15 ½" (Possible Seat angle	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925 STFH2025 STFH1775 STFH1825	compatible with the 12 1/2" Di etails in the front rigging sec 13 13 13 13 13 13	18 ¼" 18 ¼" 19 ¼" 20 ¼" 17 ¾" 17 ¾"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only)	See Dea
□ FC8PIR           □ FC9PT           □ FC9PI           ▼ FC9PI           ▼ SEAT TO FI           ▶ Options for a           □ STFH155           □ STFH1625           □ STFH1725           ▶ Options for a           □ STFH155           □ STFH1725           ▶ Options for a           □ STFH155           □ STFH155           □ STFH155           □ STFH155           □ STFH155	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 13, 15 Power Tilt or a STD 12, 14, 15 14, 15 14	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with pproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle 15 ½" (Possible Seat angle 15 ½" (Possible Seat angle 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925 STFH2025 STFH1775 STFH1825	compatible with the 12 1/2" Di etails in the front rigging sec 13 13 13 13 13 13	Tive wheel continues           18 ½"           19 ½"           20 ½"           17 ½"           18 ½"           18 ½"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only)	See Dea
<ul> <li>FC3PIR</li> <li>FC3PI</li> <li>FC9PI</li> <li>SEAT TO FI</li> <li>Options for a</li> <li>STFH155</li> <li>STFH1625</li> <li>STFH1725</li> <li>Options for a</li> <li>STFH155</li> <li>STFH1625</li> <li>STFH1725</li> <li>Options for a</li> </ul>	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 13, 15 13, 15 13, 15 13, 15 13, 15 14, 15 14 14 Combo - Power Tilt	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free fre 9" casters will increase the minimur The 9" casters are NOT compatible with pproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ¼" (Possible Seat angle 17 ½" (Possible Seat angle 15 ½" (Possible Seat angle 15 ½" (Possible Seat angle 15 ½" (Possible Seat angle 16 ¼" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± 'X") STFH1825 STFH1925 STFH2025 STFH2025 STFH1875 STFH1875	compatible with the 12 1/2" Di etails in the front rigging sec 13 13 13 13 14 14 14 14	Tive wheel contitions           18 ¼"           19 ½"           20 ¼"           17 ¾"           18 ¼"           18 ½"           18 ½"           18 ½"           18 ½"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only)	See Dea
<ul> <li>FC3PIR</li> <li>FC3PI</li> <li>FC9PI</li> <li>SEAT TO FI</li> <li>Options for a</li> <li>STFH155</li> <li>STFH1625</li> <li>STFH1725</li> <li>Options for a</li> <li>STFH155</li> <li>STFH1625</li> <li>STFH1725</li> <li>Options for a</li> </ul>	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 13, 15 13, 15 14, 15 14, 15 14 Combo - Power Tilt 12, 14 L2, 14 Note 12 Note 13	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with pproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle 15 ½" (Possible Seat angle 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle) 17 ½" (Pos	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± '\") STFH1825 STFH1925 STFH1925 STFH12025 STFH1825 STFH1825 STFH1825 STFH1825 STFH1875 STFH1825 STFH	compatible with the 12 1/2" Di etails in the front rigging sec 13 13 13 13 13 14 14 14 14 14 14 14 14 14 14	Tive wheel continues           18 ½"           19 ½"           20 ½"           17 ¾"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only)	See Dea
<ul> <li>FC8PIR</li> <li>FC9PT</li> <li>FC9PI</li> <li>SEAT TO FI</li> <li>Options for a</li> <li>STFH155</li> <li>STFH1625</li> <li>STFH1725</li> <li>Options for a</li> <li>STFH1625</li> <li>STFH1625</li> <li>STFH1625</li> <li>STFH1725</li> <li>Options for a</li> </ul>	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 13, 15 13, 15 14, 15 14, 15 14 14 Combo - Power Tilt 12, 14 12, 14 Note 12	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters <i>This og</i> 9" Pneumatic Casters with Flat-Free The 9" casters will increase the minimur The 9" casters are NOT compatible with proximate measurement to the top of s 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle 15 ½" (Possible Seat angle 17 ½" (Possible Seat angle	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925 STFH1925 STFH1925 STFH1825 STFH1825 STFH1875 STFH1875	compatible with the 12 1/2" Di etails in the front rigging sec 13 13 13 13 14 14 14 14 14 14 14 14 14 14	Tive wheel contitions           18 ½"           19 ½"           20 ½"           17 ¾"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only)	See Dea
<ul> <li>FC8PIR</li> <li>FC9PT</li> <li>FC9PI</li> <li>SEAT TO FI</li> <li>Options for a</li> <li>STFH155</li> <li>STFH1625</li> <li>STFH1725</li> <li>Options for a</li> <li>STFH1625</li> <li>STFH1625</li> <li>STFH1725</li> <li>Options for a</li> <li>STFH1725</li> <li>Options for a</li> </ul>	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 13, 15 13, 15 14, 15 14, 15 14 14 Combo - Power Tilt 12, 14 14 Note 12 Note 13 Note 14 Note 15	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free 9" and the starts with Increase the minimum The 9" casters are NOT compatible with pproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle 15 ½" (Possible Seat angle 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle) Requires the 12 ½" Drive wheels (DW12) Seat to Floor Heights are taken with the Seat to Floor Heights are taken with the The Adult Heavy Duty Swing-Away footr	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925 STFH1925 STFH1825 STFH1825 STFH1825 STFH1875 STFH1875 STFH1875 STFH1825 STFH	compatible with the 12 1/2" Di etails in the front rigging sec 13 13 13 13 14 14 14 14 14 14 14 14 14 14	Tive wheel contitions           18 ½"           19 ½"           20 ½"           17 ¾"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only)	See Dea
□ FC3PIR         □ FC3PT         □ FC3PT         □ FC3PI         ▼ C3PT         ■ FC3PT         ■ FC3PT         ▼ C3PT         ▼ C3PT         ▼ Options for a         □ STFH155         □ STFH155         □ STFH1725         ▶ Options for a         □ STFH155         □ STFH155         □ STFH1725         ▶ Options for a         □ STFH175         ■ STFH175	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 Power Tilt or a STD 12, 14, 15 14 14 Combo - Power Tilt 12, 14 Note 12 Note 13 Note 14	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free 9" and the starts with Increase the minimum The 9" casters are NOT compatible with pproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle 15 ½" (Possible Seat angle 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle) Requires the 12 ½" Drive wheels (DW12) Seat to Floor Heights are taken with the Seat to Floor Heights are taken with the The Adult Heavy Duty Swing-Away footr	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925 STFH1925 STFH1825 STFH1825 STFH1825 STFH1875 STFH1875 STFH1875 STFH1825 STFH	compatible with the 12 1/2" Di etails in the front rigging sec 13 13 13 13 14 14 14 14 14 14 14 14 14 14	Tive wheel contitions           18 ½"           19 ½"           20 ½"           17 ¾"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only)	See Dea
	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 13, 15 13, 15 14, 15 14, 15 14 14 Combo - Power Tilt 12, 14 14 Note 12 Note 13 Note 14 Note 15	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters <i>This op</i> 9" Pneumatic Casters with Flat-Free 9" Casters will increase the minimum The 9" casters are NOT compatible with pproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle 16 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle) Requires the 12 ½" Drive wheels (DW12) Seat to Floor Heights are taken with the The Adult Heavy Duty Swing-Away footr SLE 0° Pre-set seat frame seat angle (Mu	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925 STFH1925 STFH1925 STFH1825 STFH1825 STFH1825 STFH1825 STFH1875 STFH1875 STFH1825 STFH1825 PT or DW12PI). This lowers ground clears Mid-Wheel Drive Configurations. Please is Mid-Wheel Drive Configurations. Please is Mid-Wheel Drive Configurations. Please is Stopper State S	compatible with the 12 1/2" Di etails in the front rigging sec 13 13 13 13 14 14 14 14 14 14 14 14 14 14	Tive wheel contitions           18 ½"           19 ½"           20 ½"           17 ¾"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only)	See Dea
	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 13, 15 13, 15 14, 15 14, 15 14 14 Combo - Power Tilt 12, 14 14 Note 12 Note 13 Note 14 Note 15	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters This op 9" Pneumatic Casters with Flat-Free 9" Casters with Increase the minimum The 9" casters are NOT compatible with pproximate measurement to the top of s 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle 17 ½" (Possible Seat angle 16 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± //") STFH1825 STFH1925 STFH1925 STFH2025 STFH1825 STFH1825 STFH1825 STFH1875 STFH1875 STFH1875 STFH1825 STFH1875 STFH1875 STFH1875 STFH1875 STFH1825 Pt or DW12PI). This lowers ground cleared Mid-Wheel Drive Configurations. Please d sets (SOAAF) are not available with this s st be selected when using power of Iv available with a seat configuration	compatible with the 12 ½" Di etails in the front rigging sec 13 13 13 13 14 14 14 14 14 14 14 14 14 14	Tive wheel contitions           18 ½"           19 ½"           20 ½"           17 ¾"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only)	See Dea
	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 13, 15 14, 15 14, 15 14 14 Combo - Power Tilt 12, 14 Note 12 Note 12 Note 13 Note 14 Note 15 EAT FRAME ANG	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters <i>This op</i> 9" Pneumatic Casters with Flat-Free Pre-st seat frame seat angle 15 ½" (Possible Seat angle 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle) Requires the 12 ½" Drive wheels (DW12) Seat to Floor Heights are taken with the The Adult Heavy Duty Swing-Away footr SLE 0° Pre-set seat frame seat angle (Or 6° Pre-set seat frame seat angle (Or 6° Pre-set seat frame seat angle (Or 18 Pre-	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± '/") STFH1825 STFH1925 STFH1925 STFH2025 STFH1825 STFH1825 STFH1825 STFH1825 STFH1825 STFH1875 STFH1875 STFH1875 STFH1825 STFH1875 STFH1825 STFH1	compatible with the 12 %" Di etails in the front rigging sec 13 13 13 13 14 14 14 14 14 14 14 14 14 14	Tive wheel contitions           18 ½"           19 ½"           20 ½"           17 ¾"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only)	See Dea
FC8PIR           FC9PT           FC9PT           FC9PI           SEAT TO FI           Options for a           STFH1625           STFH1625           STFH1625           STFH1625           STFH1625           STFH1625           STFH1625           STFH1725           Options for a           STFH1725           Options for a           STFH175           STFH175           STFH175           STFH175           STFH175           STFH175           STFH175	LOOR HEIGHT (A Seat Only 12, 13, 15 13, 15 13, 15 13, 15 13, 15 14, 15 14, 15 14 14 Combo - Power Tilt 12, 14 14 Note 12 Note 13 Note 14 Note 15	8" Pneumatic Casters with Flat-Free 9" Pneumatic Casters <i>This op</i> 9" Pneumatic Casters with Flat-Free Pre-st seat frame seat angle 15 ½" (Possible Seat angle 15 ½" (Possible Seat angle 16 ½" (Possible Seat angle 17 ½" (Possible Seat angle) Requires the 12 ½" Drive wheels (DW12) Seat to Floor Heights are taken with the The Adult Heavy Duty Swing-Away footr SLE 0° Pre-set seat frame seat angle (Or 6° Pre-set seat frame seat angle (Or 6° Pre-set seat frame seat angle (Or 18 Pre-	tion is included at no charge with the inserts n seat to floor height by 1/2" and are NOT many front rigging options. Please see d eat pan ± ¼") STFH1825 STFH1925 STFH2025 STFH2025 STFH18	compatible with the 12 %" Di etails in the front rigging sec 13 13 13 13 14 14 14 14 14 14 14 14 14 14	Tive wheel contitions           18 ½"           19 ½"           20 ½"           17 ¾"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"           18 ½"	(Possible Seat angle of 0° and 3°) (Possible Seat angle of 0°, 3° and 6°) (Possible Seat angle of 0°, 3°, 6°, 9°) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only) (Possible Seat angle of 0° only)	See Dea

LED Light Package (Includes front beams, side flashers, rear tail light with flashers & brake light) Requires the upgraded Joystick with Light Operation or the OMNI (ECVJ6KL, ECELJL, ECRJCL, ECRJCTPL, ECRJC35B or EDIB). Note 17

□ EOLP

Customer Service: (800) 263-3390 Fax: (800) 561-5834 E-mail: cscanada@sunmed.com www.sunrisemedical.ca Specifications are subject to change without notice. © 2020 Sunrise Medical Canada Inc. CN-100013-CAN REV (10). Page 2 of 9

See Dealer

#### ▼ EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

□ ECEL90		R-net EL 90 Amp Expandable Controller	
ECR120		R-net PM 120 Amp Expandable Controller Se	ee Dealer
ECRNH	19	Harness for Expandable Controller	
	Note 19	Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI screen	

#### ▼ EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

		Omit Joystick (For use with an OMNI Display)	J
	20	R-net (LED) Joystick	
ECRJC	20	R-net Joystick with Color screen	J
JOYSTICKS WITH	LIGHTING OPE	RATION	
	20	R-net (LED) Joystick with Lighting Operation	See Dealer
ECRJCL	20	R-net Joystick with Color screen and Lighting Operation	See Dealer
ECRJCTPL	20	R-net Joystick with Color screen w/ On & Off/ Mode switch & speed pot and Lighting Operation	See Dealer
ADVANCED JOYS	TICK		
ECRJC35	20	R-net Advanced Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	See Dealer
ECRJC35B	20	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	See Dealer
	Note 20	This option requires the expandable controller ECEL90 or ECR120	

#### ▼ JOYSTICK MOUNT

□ JSMF □ JSMSA		Fixed Joystick Mount Swing Away Joystick Mount - Height adjustable, Angle adj □ Set-up with standard installation to swing-a	ustable and Multi-Axis □ Set-up at 35° to swi	ing-away sideways and downwards	See Dealer
		Midline Mounted Swing Away Joystick Mount			See Dealer
▼ JOYSTICK MOUN	IT SUPPOR	г			
□ JSMFH		Joystick mount support Bracket			
▼ JOYSTICK HAND	MOUNT				
HML		Install Joystick on Left hand side	□ HMR	Install Joystick on Right hand side	
▼ JOYSTICK HAND	LE				
JSH JBAT JBH JFBH JFBH JTH JGP VATTENDANT DRIV		Standard Joystick Gimble Stick Handle 3" in Length Ball Handle Foam Ball Handle T-Handle 2.5" Mushroom Handle Goalpost Handle			See Dealer See Dealer See Dealer See Dealer See Dealer See Dealer
		Attendant Hand Control for R-net EL & PM Controls			See Dealer
▼ ATTENDANT JOY	STICK HAN	D MOUNT			
		Install Attendant Joystick on Rear Left hand side		Install Attendant Joystick on Rear Right hand side	See Dealer
▼ ENHANCED DISP	LAY & DIGI	TAL INTERFACE BOX (Included with specialty co	ntrols)		
EDIB-F-CA     Note	21 <b>21</b>	OMNI2 (Enhanced Display & Digital Interface Box with Infi Allows the switch operation of alternative devices through drive		net fully Expandable Controllers (ECEL90 or ECR120)	J
▼ ENHANCED DISP	LAY MOUN	Т			

EDSAM User Swing Away Mount EDML (Install Display on LH side)
 EDMR (Install Display on RH side)

J

ECU	22 Note 22	Environment control module - (Output Module) Requires one of the fully expandable R-net controllers (ECEL90 or ECR120)			See Dea
	Note 22				
<b>BLUETOOTH</b>	MOUSE EMUL	ATOR (Includes USB Dongle)			
EDBT	23	Bluetooth Mouse Emulator (USB Dongle included)			See De
	Note 23	Requires one of the fully expandable R-net controllers (ECEL90 or ECR120)	. Not required if the ECRJC35B joyst	tick has been selected	
		Not limited to only one selection. Any two can be installed on the same cha	ir, but only one can be used at a time	9.	
		□ Windows and MAC OS □ Android Devices		□ iPhone, iPad and iPod	
POWER OPTIC	ONS & SEATIN	IG			
SAABA		Amyseat Rehab Seat - Seat Frame only			
SAPTX	24	CG Power Tilt			
SAPRX	24, 25, 26	Power Recline with Integrated Shear Reduction (ISR)			
SAPTPRX	24, 25, 26	CG Power Tilt and Power Recline with Integrated Shear Reduction (I	SR)		
SAPESX	24	11" Power Elevating Seat Module for transfer assist	- ,		See De
ADDPESX		Module - Add an 11" Power Elevating Seat to either SAPTX, SAPRX	or SAPTPRX		See De
ADDMR	25, 26	Module - Manual Recline with Integrated Shear Reduction (ISR)			See De
	Note 24	These options include the fully adjustable Amyseat (SAABA)			
	Note 25	This option is not available with the Pediatric Seat Frame (SOWN11-16)			
	Note 26	It is recommended to use the Contour Back Support option with the power r	ecline (STDSB or STDSB/CUSTOM).		
ELECTRONIC	S - SINGLE OF	R DUAL (1 OR 2 ACTUATORS) POWER SEAT FUNCTION CO	ONTROLLERS		
		R DUAL (1 OR 2 ACTUATORS) POWER SEAT FUNCTION CO			
EPSEL	S - SINGLE OF 27, 28	Tilt or Elevating seat activation through RNET 90 Amp Expandable	Controller (ECEL90)		
EPSEL		Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net	Controller (ECEL90) Electronics		
SAC	27, 28	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E	Controller (ECEL90) Electronics		
EPSEL SAC DAC With the SAC or	27, 28 DAC, please sel	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below	Controller (ECEL90) Electronics lectronics		
BEPSEL SAC DAC With the SAC or SWTJSS	27, 28 DAC, please sel 29, 30	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Control	Controller (ECEL90) Electronics lectronics Is EPSR2A		
BEPSEL SAC DAC With the SAC or SWTJSS SWTJSD	27, 28 DAC, please sel	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls	Controller (ECEL90) Electronics electronics Is EPSR2A EPSRA		
EPSEL SAC DAC With the SAC or SWTJSS SWTJSD SWDUALACT	27, 28 DAC, please sel 29, 30 29, 31	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi	Controller (ECEL90) Electronics lectronics ls EPSRA EPSRA tohes and through the joystick)		
SAC DAC With the SAC or SWTJSS SWTJSD SWDUALACT SWTUGGLE	27, 28 DAC, please sel 29, 30 29, 31 30 or 31	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Control Dual actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls Dual actuator (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC)	Controller (ECEL90) Electronics lectronics is EPSR2A EPSRA tches and through the joystick) User Activation	Attendant Activation	
EPSEL SAC DAC With the SAC or SWTJSS SWTJSD SWDUALACT SWDUGGLE SWPUSH1	27, 28 DAC, please sel 29, 30 29, 31 30 or 31 30	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Single Push Button Switch (Single Mode: SAC)	Controller (ECEL90) Electronics Ilectronics Is EPSR2A EPSRA tches and through the joystick) User Activation User Activation	Attendant Activation	
SAC DAC With the SAC or SWTJSS SWTJSD SWDUALACT SWDUGGLE SWPUSH1	27, 28 <b>DAC, please sel</b> 29, 30 29, 31 30 or 31 30 30 or 31	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Control Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) Single Push Button Switch (Single Mode: DAC - Dual Mode: SAC)	Controller (ECEL90) Electronics Iectronics Is EPSRA EPSRA tches and through the joystick) User Activation User Activation User Activation		
EPSEL SAC DAC With the SAC or SWTJSS SWTJSD SWDUALACT SWDUGGLE SWPUSH1	27, 28 DAC, please sel 29, 30 29, 31 30 or 31 30	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) Single Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Allows for the activation of a single power option through the VR2 or R-net S	Controller (ECEL90) Electronics Iectronics Is EPSRA EPSRA tches and through the joystick) User Activation User Activation User Activation	Attendant Activation	
EPSEL SAC DAC With the SAC or SWTJSS SWTJSD SWDUALACT SWDUGGLE SWPUSH1	27, 28 DAC, please sel 29, 30 29, 31 30 or 31 30 or 31 Note 27	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net E Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Control Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) Single Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Allows for the activation of a single power option through the VR2 or R-net S Only the Power Tilt or Elevating seat options are available with this feature.	Controller (ECEL90) Electronics lectronics Is EPSR2A EPSRA tches and through the joystick) User Activation User Activation 0 Amp Controllers.	Attendant Activation	
EPSEL SAC DAC With the SAC or SWTJSS SWTJSD SWDUALACT SWDUGGLE SWPUSH1	27, 28 DAC, please sel 29, 30 29, 31 30 or 31 30 30 or 31 Note 27 Note 28	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) Dual Push Button Switch (Single Mode: SAC) Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Allows for the activation of a single power option through the VR2 or R-net S Only the Power Tilt or Elevating seat options are available with this feature. These options do not require the SAC controller as they connect via the cha	Controller (ECEL90) Electronics lectronics Is EPSR2A EPSRA tches and through the joystick) User Activation User Activation 0 Amp Controllers. ir's power module directly	Attendant Activation	
EPSEL SAC DAC With the SAC or SWTJSS SWTJSD SWDUALACT SWDUGGLE SWPUSH1	27, 28 29, 30 29, 31 30 or 31 30 or 31 Note 27 Note 28 Note 29	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) Single Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Allows for the activation of a single power option through the VR2 or R-net Only the Power Tilt or Elevating seat options are available with this feature. These options do not require the SAC controller as they connect via the cha Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expand	Controller (ECEL90) Electronics lectronics Is EPSR2A EPSRA tches and through the joystick) User Activation User Activation 0 Amp Controllers. ir's power module directly	Attendant Activation	
EPSEL SAC DAC With the SAC or SWTJSS SWTJSD SWDUALACT SWDUGGLE SWPUSH1	27, 28 DAC, please sel 29, 30 29, 31 30 or 31 30 or 31 Note 27 Note 28 Note 29 Note 30	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net E Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Allows for the activation of a single power option through the VR2 or R-net S Only the Power Tilt or Elevating seat options are available with this feature. These options do not require the SAC controller as they connect via the cha Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expand Requires the Single (1 Actuator) Power Seat Function (SAC)	Controller (ECEL90) Electronics lectronics Is EPSR2A EPSRA tches and through the joystick) User Activation User Activation 0 Amp Controllers. ir's power module directly	Attendant Activation	
SAC DAC With the SAC or SWTJSS SWTJSD	27, 28 29, 30 29, 31 30 or 31 30 or 31 Note 27 Note 28 Note 29	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) Single Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Allows for the activation of a single power option through the VR2 or R-net Only the Power Tilt or Elevating seat options are available with this feature. These options do not require the SAC controller as they connect via the cha Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expand	Controller (ECEL90) Electronics lectronics Is EPSR2A EPSRA tches and through the joystick) User Activation User Activation 0 Amp Controllers. ir's power module directly	Attendant Activation	
EPSEL         SAC         DAC         With the SAC or         SWTJSS         SWTJSS         SWTJSD         SWTOGGLE         SWPUSH1         SWPUSH2	27, 28 DAC, please sel 29, 30 29, 31 30 or 31 30 30 or 31 Note 27 Note 28 Note 29 Note 30 Note 31	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net E Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Allows for the activation of a single power option through the VR2 or R-net S Only the Power Tilt or Elevating seat options are available with this feature. These options do not require the SAC controller as they connect via the cha Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expand Requires the Single (1 Actuator) Power Seat Function (SAC)	Controller (ECEL90) Electronics ilectronics is EPSR2A EPSRA tches and through the joystick) User Activation User Activation 0 Amp Controllers. ir's power module directly able Controllers	Attendant Activation	
SAC JAC With the SAC or SWTJSS SWTJSD SWDUALACT SWDOGLE SWPUSH1 SWPUSH2	27, 28 DAC, please sel 29, 30 29, 31 30 or 31 30 30 or 31 Note 27 Note 28 Note 29 Note 30 Note 31	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net E Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) Dual Push Button Switch (Single Mode: SAC) Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Allows for the activation of a single power option through the VR2 or R-net S Only the Power Tilt or Elevating seat options are available with this feature. These options do not require the SAC controller as they connect via the cha Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expand Requires the Single (1 Actuator) Power Seat Function (SAC) Requires the Dual (2 Actuators) Power Seat Function (DAC)	Controller (ECEL90) Electronics lectronics lectronics sepSR2A EPSRA User Activation User Activation User Activation Ouser Act	Attendant Activation	
EPSEL SAC DAC With the SAC or SWTJSS SWTJSD SWDUALACT SWDUGGLE SWPUSH1 SWPUSH2 ELECTRONIC	27, 28 DAC, please sel 29, 30 29, 31 30 or 31 30 or 31 Note 27 Note 28 Note 29 Note 30 Note 31 S - MULTIPLE	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net E Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) Dual Button Switch (Single Mode: DAC - Dual Mode: SAC) Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Allows for the activation of a single power option through the VR2 or R-net S Only the Power Tilt or Elevating seat options are available with this feature. These options do not require the SAC controller as they connect via the cha Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expand Requires the Single (1 Actuator) Power Seat Function (SAC) Requires the Dual (2 Actuators) Power Seat Function (DAC) (3 to 6 ACTUATORS) POWER SEAT FUNCTION CONTROLL	Controller (ECEL90) Electronics lectronics lectronics sepSR2A EPSRA User Activation User Activation User Activation Ouser Act	Attendant Activation	
EPSEL SAC DAC With the SAC or SWTJSS SWDUALACT SWTOGGLE SWPUSH1 SWPUSH2 ELECTRONIC	27, 28 DAC, please sel 29, 30 29, 31 30 or 31 30 or 31 Note 27 Note 28 Note 29 Note 30 Note 31 S - MULTIPLE	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net E Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) Single Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Allows for the activation of a single power option through the VR2 or R-net § Only the Power Tilt or Elevating seat options are available with this feature. These options do not require the SAC controller as they connect via the cha Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expand Requires the Dual (2 Actuator) Power Seat Function (BAC) Requires the Dual (2 Actuators) Power Seat Function (DAC) (3 to 6 ACTUATORS) POWER SEAT FUNCTION CONTROLI Multiple (3 to 6 Actuators) Power Seat Function Controller to Interfac	Controller (ECEL90) Electronics Iectronics EPSRA EPSRA User Activation User Activation User Activation User Activation S0 Amp Controllers. ir's power module directly lable Controllers LER e through R-net Electronics	Attendant Activation	
EPSEL SAC DAC With the SAC or SWTJSD SWDUALACT SWDUGGLE SWPUSH1 SWPUSH2 ELECTRONIC	27, 28 DAC, please sel 29, 30 29, 31 30 or 31 30 or 31 Note 27 Note 28 Note 29 Note 30 Note 31 S - MULTIPLE C, please select	Tilt or Elevating seat activation through <b>RNET 90 Amp Expandable</b> Single (1) Power Seat Function Controller to Interface through R-net Dual (2) Power Seat Function Controller to Interface through R-net E ect one activation and position from the list below Single actuator activation through R-net Joystick or Specialty Controls Dual actuator activation through R-net Joystick or Specialty Controls Dual Activation (Allows to operate all seat functions with external swi Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC) Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC) Allows for the activation of a single power option through the VR2 or R-net S Only the Power Tilt or Elevating seat options are available with this feature. These options do not require the SAC controller as they connect via the cha Requires the R-net 90 Amp (ECEL90) or the 120 Amp (ECR120) Fully Expand Requires the Dual (2 Actuators) Power Seat Function (BAC) (3 to 6 ACTUATORS) POWER SEAT FUNCTION CONTROLL Multiple (3 to 6 Actuators) Power Seat Function Controller to Interface one activation and position from the list below	Controller (ECEL90) Electronics Electronics EPSRA EPSRA Cohes and through the joystick) User Activation User Activation Ouser	Attendant Activation	

SWDUALACT		Dual Activation (Allows to operate all seat functions with exter	nal switches and through the joystick)		
	32	4-Way Toggle Switch (Up to 4 Activations)	User Activation	Attendant Activation	
	32	Triple Toggle Switch (Up to 5 Activations)	User Activation	Attendant Activation	
SWPUSH4	32	4-Way Push Button Switch	User Activation	Attendant Activation	
SWPUSH5	32	5-Way Push Button Switch	User Activation	Attendant Activation	
	Note 32	Requires the Multiple (3 to 6 Actuators) Power Seat Function Contro	ller (MAC)		
	Note 33	Requires the R-net 90 Amp (ECEL90) or 120 Amp (ECR120) Fully Exp	pandable Controller, and the mutiple Actuat	or Controller (MAC)	

## ▼ SWITCH ACTIVATION HAND MOUNT

Switch Installatio

□ TSML (Install Switch on LH side)

□ TSMR (Install Switch on RH side)

▼ PEDIATRIC ADJUSTAE	BLE SEAT WIDTH RANGE BETWEEN 11" AND 16"
	stment from 11" to 16" with a maximum (Seat to Floor Height increases by 11/4")
□ <u>11" (SOWN11)</u>	□ 13" (SOWN13) □ 15" (SOWN15) □ 14" (SOWN40) □ 15" (SOWN40)
□ <u>12" (SOWN12)</u>	□ 14" (SOWN14) □ 16" (SOWN16)
▼ PEDIATRIC ADJUSTAE	BLE SEAT DEPTH RANGE BETWEEN 11" AND 16"
-	
□ <u>11" (SODN11)</u>	□ 13" (SODN13) □ 15" (SODN15)
□ <u>12"</u> (SODN12)	□ 14" (SODN14) □ 16" (SODN16)
▼ STANDARD ADJUSTA	BLE SEAT WIDTH RANGE BETWEEN 15" AND 20"
□ SOWN15-20-19	(Width adjustment from 15" to 20" with a maximum Depth of 19")
- 15" (SOWNIE)	□ 17" (SOWN17) □ 19" (SOWN19S)
□ <u>15" (SOWN15)</u> □ 16" (SOWN16)	
▼ ADJUSTABLE SEAT D	EPTH RANGE BETWEEN 15" AND 19"
- 15" (SODN15)	□ 17" (SODN17) □ 19" (SODN19)
□ <u>15"</u> (SODN15) □ 16" (SODN16)	□ 17" (SODN17) □ 19" (SODN19) □ 18" (SODN18)
▼ BACK CANE HEIGHT	(The back cane height measurement is taken from the seat pan to the top of the push handles)
□ <u>16" (SOBCH16)</u> □ <u>18" (SOBCH18)</u>	□ 20" (SOBCH20) □ 24" (SOBCH24) □ 22" (SOBCH22) 34 □ 26" (SOBCH26)
Note	
PRE-SET SEAT ANGLE	E (For Non-Reclining Backs)
SOBAA	Please Select one: □ 86° □ 90° □ 94° □ 98° □ 102° □ 106° □ 110° □ 114° □ 118° □ 122°
□ 30BAA	
▼ BACK SUPPORT	
t.	
STDSB 34     STDSB/CUSTOM	5 Standard contour back support 11" to 20" Wide with a maximum shell height of 22" See Dealer Standard contour back support Non Standard Sizes up to 24" wide Width: Depth: See Dealer
	Backrest Upholstery
	Omit Backrest Upholstery
Note	p 35 It is recommended to use the Back Support option with the power or manual recline.
BACK SUPPORT TOTA	AL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)
□ 16" (SOBH16)	□ 24" (SOBH24)
□ 18" (SOBH18)	□ 26" (SOBH26)
20" (SOBH20)	□ 28" (SOBH28)
□ <u>22" (SOBH22)</u> 3 Note 36	22" is the minimum back height required with a power or manual rectine
Note 36	22" is the minimum back height required with a power or manual recline. The space between the bottom of the back and the seat pan is 4" with a non-reclining back and 6" with a reclining back
	······································
▼ SEAT CUSHIONS	

#### ▼ CANTILEVER - HEIGHT ADJUSTABLE ARMRESTS - OPENS WITH A 5° ANGLE (For Non-Reclining Backs - Choose 2)

□ SOAFBFLH	Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 7" to 15" with 1" increments)	J
□ SOAFBFRH	Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 7" to 15" with 1" increments)	J
□ SOAFBDLH	Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 7" to 15" with 1" increments)	J
SOAFBDRH	Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 7" to 15" with 1" increments)	J

## ▼ DUAL POST - HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRANSFER GRIPS (For Non-Reclining Backs - Choose 2)

SOADPPLH	Pediatric Dual Post Height Adjustable - Left Side (Height Adjustable from 7 ¼" - 10 ¼")	
SOADPPRH	Pediatric Dual Post Height Adjustable - Right Side (Height Adjustable from 7 ¼" - 10 ¼")	
SOADPFLH	Dual Post Height Adjustable - Full Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")	
□ SOADPFRH	Dual Post Height Adjustable - Full Length Right Side (Height Adjustable from 10 ¼" - 15 ¼")	
SOADPDLH	Dual Post Height Adjustable - Desk Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")	
SOADPDRH	Dual Post Height Adjustable - Desk Length Right Side (Height Adjustable from 10 ¼" - 15 ¼")	
RECLINING FLIP-UP.	, HEIGHT ADJUSTABLE ARMRESTS (For Reclining Backs - Choose 2)	

□ SOANIFLH	Reclining armrest - Full Length Left Side (Height Adjustable from 10 ½" to 14" with ½" increments)	J*
□ SOANIFRH	Reclining armrest - Full Length Right Side (Height Adjustable from 10 1/2" to 14" with 1/2" increments)	J*
SOANIDLH	Reclining armrest - Desk Length Left Side (Height Adjustable from 10 ½" to 14" with ½" increments)	J*
SOANIDRH	Reclining armrest - Desk Length Right Side (Height Adjustable from 10 ½" to 14" with ½" increments)	J*
	*Only available with approval for power recline (MWP)	

Please set the Armrest Height at: \_\_\_\_

7 /	۱R۱	/IPA	DS

Foam Type Selection	on				
□ SOFAPD		Desk Length Standard (10")	Select Side:   Left Hand Side	Right Hand Side	
SOFAPF		Full Length Standard (14")	Select Side:   Left Hand Side	Right Hand Side	
SOWAPD	39	Desk Length Waterfall (10")	Select Side:   Left Hand Side	Right Hand Side	
SOWAPF	39	Full Length Waterfall (14")	Select Side:   Left Hand Side	Right Hand Side	
Hybrid Gel and For	am Type Seleo	ction (The Gel always stays soft)			
SOGELD		Desk Length Hybrid Gel and Foam Flat armpad (10" x 2.5")	Select Side:   Left Hand Side	Right Hand Side	See Dealer
□ SOGELF		Full Length Hybrid Gel and Foam Flat armpad (14" x 2.5")	Select Side:   Left Hand Side	Right Hand Side	See Dealer
□ SOWGELD	39	Desk Length Hybrid Gel and Foam Waterfall armpad (10")	Select Side:   Left Hand Side	Right Hand Side	See Dealer
□ SOWGELF	39	Full Length Hybrid Gel and Foam Waterfall armpad (14")	Select Side:   Left Hand Side	Right Hand Side	See Dealer
<ul> <li>Specialty Type Sel</li> </ul>	ection				
SOCAR	40	Arm Trough with Hand Support (18" x 4 1/2")	Select Side:   Left Hand Side	Right Hand Side	See Dealer
	Note 39	The Waterfall armpads may interfere with flipping back the armrests	s when combined with Lateral Trunk suppo	orts	
	Note 40	Arm Trough Armpads may interfere with Armrests Flipping back.			

## ▼ FOOTRESTS

□ SOP	AAF 46	Pediatric Swing-Away Footrests         Set at:         □ 60°         □ 70°         □ 80°         41,47         □ 90°         41,47           Select Footrest Range:         □ SOFLP5 (5 ½" - 7 ½")         □ SOFLP8 (8 ½" - 10 ½")         □ SOFLP10 (10 ½" - 15 ½")
□ SOS	AAF 45, 46	Adult Swing-Away Footrests         Select Footrest Range:         □ SOFLA10 (10 ½" - 15 ½")         □ SOFLA14 (14 ½" - 19 ½")
□ SOA	AF 45, 46	Adult Heavy Duty Swing-Away footrests         Set at: □ 60°         □ 70° ₄7         J           Select Footrest Range: □ SOFLHD12 (12 ½" - 15 ½" □ SOFLHD14 (14 ½" - 19 ½")
	PL 42, 45, 46	Adult Power Elevating & Articulating Legrests       Please Select Function:          □ Individual 43         □ Combined 44         J*         Select Footrest Range:          □ SOFLPW12 (12 ½" - 15 ½' □ SOFLPW14 (14 ½" - 19 ½")
	46	Please set the Footrest Length at: " *Only available with approval for power ELRs (MWP)
	Note 41 Note 42 Note 43 Note 44 Note 45 Note 46 Note 47	Depending on the seat configuration, this option may not be available This option includes calf pads Individual legs count as two power functions. Combined legs count as one power function. This option is not available with the pediatric seat frame (SOWN11-16) The Footrest Length is taken from the top of the seat pan to the top of the footplate. This footrest angle is not compatible with the 9" front casters (FC9PT and FC9PI) This Footrest angle may interfere with the caster when selecting the straight front caster arm option.

## ▼ FOOTPLATES & ACCESSORIES

□ SOSFAF	Flip-up Footplates	
□ SOAFP	Angle Adjustable & Flip-up Footplates - Each	J
□ SOAHL	Heel Loops - Each	
SOACPFR	Calf Pads for Adult Heavy-Duty Swing-Away footrests (SOAAF) with adjustable hardware - Each	See Dealer

		INTS

□ SOAAF90	50, 51, 52, 55, 56	90° Fixed Center Mount Interface Bracket (Offers Manual adjustability from 95° to 70°)	
		Select Foot Platform Range:	
ADDPF	48, 49, 50, 52, 53, 54, 55	90° Power Center Mount Elevating & Articulating Foot Platform	J*
		Select Foot Platform Range:  SOFBPW12 (12 ½"- 16 ½"  SOFBPW16 (16 ½"- 20 ½")	
	55	Please set the Foot Platform Length at: "	
		*Only available for approval with power ELR's (MWP)	
	Note 48	The power center mount counts as one power function	
	Note 49	This option includes calf pads	
	Note 50	Links and attaches the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB) to the seat	
	Note 51	With the split footplates option (SOAFPFB), this bracket offers independent height adjustablility for each footplate	
	Note 52	Please select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB)	
	Note 53	This option is not available with the pediatric seat frame (SOWN11-16)	
	Note 54	This power center mount option is not available with the straight front caster arms (RWD) and Group 24/24 Frame (FS2424B-MWD)	
	Note 55	The foot platform length is taken from the top of the seat pan to the top of the foot platform or split footplates.	

Note 56 This option is not compatible with the 9" Caster option on Rear Hybrid Configuration

#### ▼ FOOT PLATFORMS & ACCESSORIES

SOFUFP		Flip-up one piece Foot Platform	
SOAFPFB		Angle Adjustable & Flip-up Split Footplates for center mount - Each	J
SOACPCM	57	Calf Pads for 90° Fixed Center Mount (SOAAF90) with adjustable hardware - Each	See Dealer
	Note 57	Not available with the pediatric length (SOFBP7 - 7 1/2" - 12 1/2")	

### ▼ SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19 ----- ISO OPTION)

SOAUTO	55" Seat Positioning Strap
HEADREST	
HEADREST	
	Whitmyer P1L Linx Headrest
	M2300 Bracket
SOHRSB	Bracket to Mount on Seat Frame Crossbar
SOHRPR	Bracket to Mount on the Seat Frame (For Reclining Backs)
Please select one of the	ne headrest options with the mounting hardware and specify where the headrest will be installed

LATERAL TRUNK S	SUPPORTS	
□ SOSLS3-C	Adjustable Laterals with Small Curved Pads (Each) - 3" x 5"	See Dealer
□ SOSLM4-C	Adjustable Laterals with Medium Curved Pads (Each) - 4" x 6"	See Dealer
□ SOSLL5-C	Adjustable Laterals with Large Curved Pads (Each) - 5" x 7"	See Dealer
▼ HIP & THIGH SUPPO		
SOHTSS10	Adjustable Hip & Thigh Support Pads (Each) - Small 10" x 4"	See Dealer
□ SOHTSM12	Adjustable Hip & Thigh Support Pads (Each) - Medium 12" x 5"	See Dealer
□ SOHTSL14	Adjustable Hip & Thigh Support Pads (Each) - Large 14" x 6"	See Dealer
SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware - Each	See Dealer

Adjustable and Removable Hip & Thigh Support Hardware - Each Please select one of the hip & thigh support pads and the adjustable & removable hardware.

▼ ACCESSORIES		
SOCH	Cup Holder (Self-Leveling)	See Dealer
	Ram Mounts X-Grip Cell	See Dealer
	Phone Holder	See Dealer
□ SOTHS	Ram Mounts X-Grip Small	See Dealer
	Tablet Holder	See Dealer
□ SOTHL	Ram Mounts X-Grip Large	See Dealer
	Tablet Holder with Swivel	See Dealer

# ▼ REFLECTOR KIT

□ REFLECT

Red & White Reflector Kit Stickers (They will not be installed - Included in a bag with the owner's manual)

See Dealer

\_

▼ SWITCHES AND OPTIONS

#### SPECIALTY DRIVER CONTROL OPTIONS

▼ The	erafin Sip n' P	Puff Kit				
	SNPK	58, 59	Therafin Sip n' Puff Kit			J
	SNPBTK	59	Therafin Sip n' Puff Breath Tube Kit			J
	SRMSNP	59	Stealth Rock-n-Lock Swingaway Arm for Sip n' Puff	SWL (Swings on Left)	SWR (Swings on Right)	J
	SRM	59	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	J
🗆 SSE	ES-STD	59, 61	Egg Switch for Changing Modes - Black	MLH (Mount on Left)	MRH (Mount on Right)	J
🗆 SSE	BS-STD	59	Buddy Button Switch (Stop Switch) - Red			J
SOI	MAH	59	Multi-axis Headrest Removable Mounting Hardware			J
□ SO	FHRS	60	Small Curved Headrest Pad 4" x 9"			J
□ SO	FHRM	60	Medium Curved Headrest Pad 5" x 10"			J
□ SO	FHRL	60	Large Curved Headrest Pad 6" x 11"			J

#### ▼ Switch-It Proximity Head Array

Switch-It Proximi	ty Head Array				
SCSIHAA	58, 59	Adult - 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse			See Dealer
SCSRM	59	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	See Dealer
SSES-STD	59, 61	Egg Switch for Changing Modes - Black	MLH (Mount on Left)	MRH (Mount on Right)	See Dealer
□ SSBS-STD	59	Buddy Button Switch (Stop Switch) - Red			See Dealer
□ SOMAH	59	Multi-axis Headrest Removable Mounting Hardware			See Dealer

### ▼ Proportional RIM Head Control Package

▼ Proportional RIM Head Control Package						
□ SCPHC	58, 59	Proportional RIM Head Control Package			J	
SCSRM	59	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	J	
SSES-STD	59, 61	Egg Switch for Changing Modes - Black	MLH (Mount on Left)	MRH (Mount on Right)	J	
□ SOMAH	59	Multi-axis Headrest Removable Mounting Hardware			J	

## ▼ Switch-It MicroPilot Light Touch Proportional Mini joystick for chin / lip control

Switch-It Micro	Pilot Light Touch F	Proportional Mini joystick for chin / lip control			
SCSIMP	58, 59	MicroPilot Light touch mini Proportional Joystick			See Dealer
SCSRMMP	59	Stealth Rock-n-Lock Swingaway Arm for Chin MP	SWL (Swings on Left)	SWR (Swings on Right)	See Dealer
SCSRM	59	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	See Dealer
SSES-STD	59, 61	Egg Switch for Changing Modes - Black	MLH (Mount on Left)	MRH (Mount on Right)	See Dealer
		Chin Cup			See Dealer
SOMAH	59	Multi-axis Headrest Removable Mounting Hardware			See Dealer
SOFHRS	60	Small Curved Headrest Pad 4" x 9"			See Dealer
SOFHRM	60	Medium Curved Headrest Pad 5" x 10"			See Dealer
SOFHRL	60	Large Curved Headrest Pad 6" x 11"			See Dealer

#### ▼ Proportional Compact or Mini joystick for Midline Mount

□ SCPGMJS	58, 59	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			See Dealer
SCGMJSM	62	Gatlin Midline Swing-away Mount for JC200	MLH (Mount on Left)	MRH (Mount on Right)	See Dealer
SCSIMP	58, 59	Switch-It MicroPilot Light touch mini Proportional Joystick			See Dealer
SCGMPM	63	Gatlin Midline Swing-away Mount for MicroPilot	MLH (Mount on Left)	MRH (Mount on Right)	See Dealer
SCBTM	64	Bullet Hand Tray for MicroPilot	MLH (Mount on Left)	MRH (Mount on Right)	See Dealer

#### ▼ Proportional Compact or Mini joystick for Armrest Mount

SCPGMJS	58, 59	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			See Dealer
SCARMJSM	62	Swing-away and Multi-Axis armrest mount	MLH (Mount on Left)	MRH (Mount on Right)	See Dealer
□ SCSIMP	58, 59	Switch-It MicroPilot Light touch mini Proportional Joystick			See Dealer
□ SCARMPM	63	Swing-away and Multi-Axis armrest mount	MLH (Mount on Left)	MRH (Mount on Right)	See Dealer
□ SCBTM	64	Bullet Hand Tray for MicroPilot	MLH (Mount on Left)	MRH (Mount on Right)	See Dealer
	Note 58	Requires the OMNI Enhanced Display and Digital Interface Box (EDIB)			
	Note 59	This option must be selected for the kit			
	Note 60	Choose one (1) Headrest Pad			
	Note 61	The mode switch type can be changed from this selection on Page #7			
	Note 62	Must be selected for use with the PG Drives IC200 Mini Joystick			

ust be selected for use with the PG Drives JC200 Mini Joystick Note

Note 63 Must be selected for use with the Switch-It MicroPilot

Note 64 This option is only compatible with the Switch-It MicroPilot ▼ NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS